FOR OFFICIAL USE ONLY

DECK LOG–TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK
LOG BOOK

OF THE

U.S.S. ABILITY

MSO - 519
IDENTIFICATION NUMBER

COMMANDED BY

L. L. HAWKINS, LCDR, U. S. N.

Attached to MINE DIVISION EIGHTY FIVE Division,
MINE SQUADRON EIGHT Squadron,
Flotilla,
ATLANTIC Fleet,
SIXTH Naval District,

Commencing 0001, 1 AUGUST (zone time and date), 1961,

at CHARLESTON, SOUTH CAROLINA (location),

and ending 2400, 31 AUGUST (zone time and date), 1961,

at CHARLESTON, SOUTH CAROLINA (location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63074

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO 519 ZONE DESCRIPTION +5 DATE TUESDAY (Day) 1 (Date) AUG. (Month), 19 61

AT/~~PASSAGE FROM~~ CHARLESTON, S.C ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	280	5	10	clr	3007	79	74	0	0	0	0	0	0
02	280	5	10	clr	3006	78	74	0	0	0	0	0	0
03	280	5	10	clr	3005	78	74	0	0	0	0	0	0
04	280	5	10	clr	3005	78	74	0	0	0	0	0	0
05	280	3	10	clr	3005	79	75	0	0	0	0	0	0
06	280	3	10	clr	3005	79	75	0	0	0	0	0	0
07	360	2	10	clr	3005	79	74	0	0	0	0	0	0
08	350	1	8	clr	3008	90	80	0	0	0	0	0	0
09	350	5	8	clr	3010	100	90	0	0	0	0	0	0
10	340	7	8	clr	3010	103	90	0	0	0	0	0	0
11	335	6	9	Sct	3010	98	88	3	1600	~~Cb~~Cu	0	0	0
12	070	3	10	Sct	3010	97	88	3	1600	Cu	0	0	0
13	155	3	10	Sct	3008	96	87	3	1600	Cu	0	0	0
14	155	3	10	Sct	3007	96	84	4	1600	Cu	0	0	0
15	155	4	10	Sct	3006	93	83	4	1600	Cu	0	0	0
16	180	4	10	Sct	3006	92	82	5	1600	Cu	0	0	0
17	180	3	10	Sct	3005	87	78	3	1600	Cu	0	0	0
18	180	3	10	Sct	3005	74	74	6	1600	Cu	0	0	0
19	150	3	10	Sct	3004	78	73	3	1600	Cu	0	0	0
20	145	4	10	Sct	3006	76	75	3	1600	Cu	0	0	0
21	300	4	9	Sct	3008	75	74	2	1600	Cu	0	0	0
22	300	7	9	Sct	3011	75	74	3	1600	Cu	0	0	0
23	290	7	9	Sct	3009	75	73	3	1600	Cu	0	0	0
24	290	5	10	clr	3009	75	73	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

~~0~~-04 MOORED STARBOARD SIDE TO PIER 4 BERTH 4 AT US NAVAL BASE, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. 5 OPA IS COMINCENT AT US NAVAL BASE. OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET.

W H Judd ENS USNR.

~~0~~4-~~0~~8 MOORED AS BEFORE. ~~0~~700 MUSTERD THE CREW AT QUARTERS. ABSENTEES. CARLSON, A.L. 484 1988, EN2, USN, AWOL ~~SINCE~~ ~~0~~645, 1 AUGUST 1961.

W H Judd ENS USNR

APPROVED: L L Hawkins U.S.N. COMMANDING

EXAMINED: W F Griffin, LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) TUESDAY (Day) 1 (Date) AUGUST (Month), 19 61

0800-1200. MOORED AS BEFORE. 0910 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

K R Miller
ENS. USNR.

1200-1600. MOORED AS BEFORE.

K R Miller
ENS. USNR

1600-2000 MOORED AS BEFORE.

K R Miller
ENS. USNR

2000-2400. MOORED AS BEFORE.

K R Miller
ENS. USNR

APPROVED: L D Hawkins U.S.N. COMMANDING

EXAMINED: W T Kleyhein, LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABLE MSO 519 ZONE DESCRIPTION +5 DATE WEDNESDAY (Day) 2 (Date) AUG (Month), 19 61

AT/~~PASSAGE FROM~~ CHARLESTON, S.C ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	289	3	10	clr	3009	76	74	0	0	0	0	0	0
02	300	3	10	clr	3009	76	74	0	0	0	0	0	0
03	300	3	10	clr	3009	76	74	0	0	0	0	0	0
04	280	3	10	clr	3010	75	74	0	0	0	0	0	0
05	280	2	10	clr	3010	75	74	0	0	0	0	0	0
06	280	2	10	clr	3010	75	74	0	0	0	0	0	0
07	280	1	10	clr	3014	79	75	0	0	0	0	0	0
08	270	2	10	clr	3014	80	76	0	0	0	0	0	0
09	270	3	10	Sct	3014	87	78	5	1600	Cu	0	0	6
10	270	3	10	Sct	3015	87	80	6	1600	Cu	0	0	0
11	270	4	10	BKN	3015	89	82	8	1000	ST/NS	0	0	0
12	300	6	10	BKN	3013	88	80	8	1000	ST/NS	0	0	0
13	350	6	10	BKN	3010	88	80	9	1000	ST/NS	0	0	0
14	355	3	10	BKN	3009	80	80	8	1000	ST/NS	0	0	0
15	355	7	10	BKN	3009	86	80	7	1000	ST/NS	0	0	0
16	355	5	10	BKN	3008	85	79	7	1000	ST/NS	0	0	0
17	355	3	10	BKN	3007	85	79	8	1000	ST/NS	0	0	0
18	355	2	10	Sct	3007	84	78	6	1000	ST/NS	0	0	0
19	355	3	10	Sct	3007	82	76	5	1600	ST/NS	0	0	0
20	355	3	10	Sct	3007	81	75	5	1600	Cu	0	0	0
21	355	1	10	Sct	3007	81	75	4	1600	Cu	0	0	0
22	350	2	10	Sct	3006	79	75	4	1600	Cu	0	0	0
23	330	1	10	Sct	3005	78	74	3	1600	Cu	0	0	0
24	330	3	10	Sct	3006	74	70	3	1600	Cu	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 0

REMARKS

00-04. MOORED STARBOARD SIDE TO PIER TEN BERTH FOUR AT U.S. NAVAL BASE, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET. SOPA IS COMINLANT AT U.S. NAVAL BASE, CHARLESTON, SOUTH CAROLINA.

R.R. Miller, ENS. USNR.

04-08. MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES: CARLSON, A.L., 484 19 88, EN2, USN, AWOL SINCE 0645, 1 AUGUST 1961.

R.R. Miller, ENS. USNR

APPROVED: L.L. Hawkins U.S.N. COMMANDING

EXAMINED: W.T. Griffin, LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) WEDNESDAY ~~THURSDAY~~ (Day) 2 ~~3~~ (Date) AUGUST (Month), 19 61

08-12 MOORED AS BEFORE, 0930 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITION NORMAL

W H Trail ENS USNR

12-16 MOORED AS BEFORE

W H Trail ENS USNR

16-20 MOORED AS BEFORE

W H Trail ENS USNR

20-24 MOORED AS BEFORE

W H Trail ENS USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature], LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

S-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE THURSDAY (Day) 3 (Date) AUGUST (Month), 19 61

AT/~~PASSAGE FROM~~ CHARLESTON, SOUTH CAROLINA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	330	2	10	CLR	3005	76	72	0	0	0	0	0	0
02	335	2	10	CLR	3005	76	72	0	0	6	0	0	0
03	340	3	10	CLR	3005	76	72	0	0	0	0	0	0
04	345	1	7	BKN	3006	77	75	8	1600	NS/Cu	0	0	0
05	345	1	8	OVC	3006	77	75	10	1000	NS/ST	0	0	0
06	345	1	9	OVC	3006	77	75	10	1000	NS/ST	0	0	0
07	345	1	7	OVC	3006	77	75	10	1000	NS/ST	0	0	0
08	340	2	10	OVC	3006	80	78	10	1000	NS/ST	0	0	0
09	340	2	10	OVC	3005	82	80	10	1000	NS/Cu	0	0	0
10	340	3	10	OVC	3005	86	84	10	1000	NS/Cu	0	0	0
11	340	4	10	OVC	3006	90	88	10	1000	NS/Cu	0	0	0
12	340	4	10	OVC	3005	95	85	10	1000	NS	0	0	0
13	300	4	10	OVC	3004	95	82	10	1000	NS	0	0	0
14	300	4	10	OVC	3003	94	82	10	1000	NS/Cu	0	0	0
15	240	4	10	OVC	3001	92	81	10	1000	NS/Cu	0	0	0
16	240	3	10	BKN	3001	90	80	8	1600	NS/Cu	0	0	0
17	240	3	10	BKN	3001	88	79	8	1600	NS/Cu	0	0	0
18	240	3	10	BKN	3002	86	79	7	1600	NS/Cu	0	0	0
19	240	3	10	BKN	3002	84	78	8	1600	Cu	0	0	0
20	245	4	10	BKN	3002	83	78	8	1600	Cu	0	0	0
21	245	4	10	BKN	3002	82	78	8	1600	Cu	0	0	0
22	245	4	10	BKN	3002	82	78	8	1600	Cu	0	0	0
23	240	4	10	BKN	3002	81	77	8	1600	Cu	0	0	0
24	240	4	10	BKN	3000	80	76	7	1600	Cu	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

0400-0800 MOORED STARBOARD SIDE TO PIER 10 BERTH 4 AT U.S. NAVAL BASE, CHARLESTON S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. SOPA IS COMINCHANT AT US NAVAL BASE. OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET.

W. H. Farrell ENS USNR.

0400-0800 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: CARLSON, A.L. 487-19-88, EN2, USN, AWOL SINCE 0645, 1 AUGUST 1961.

W. H. Farrell ENS USNR

APPROVED: L. A. Hawkins U.S.N. COMMANDING

EXAMINED: W. F. Ringgin, U U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) THURSDAY (Day) 3 (Date) AUGUST (Month) 19 61

0800-1200. MOORED AS BEFORE. 0810 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

ER Miller
ENS. USNR

1200-1600. MOORED AS BEFORE.

ER Miller
ENS. USNR

1600-2000. MOORED AS BEFORE.

ER Miller
ENS. USNR

2000-2400. MOORED AS BEFORE.

ER Miller
ENS. USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature], LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE FRIDAY (Day) 4 (Date) AUGUST (Month), 19 61

AT/~~PASSAGE~~ FROM CHARLESTON, SOUTH CAROLINA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	250	2	10	OVC	3000	80	76	10	1000	NS/Cu	0	0	0
02	250	2	10	OVC	3000	81	76	10	1000	NS/Cu	0	0	0
03	230	2	10	OVC	3000	80	76	10	1000	NS	0	0	0
04	230	2	10	OVC	3000	80	76	10	1000	NS/Cu	0	0	0
05	230	2	10	OVC	3001	79	76	10	1400	NS/Cu	0	0	0
06	230	2	8	OVC	3001	78	75	10	1000	NS	0	0	0
07	230	2	8	OVC	3001	84	80	10	1000	NS/St	0	0	0
08	230	5	8	OVC	3002	88	81	10	1000	NS/Cu	0	0	0
09	230	2	7	OVC	3003	89	82	10	1000	NS/Cu	0	0	0
10	230	8	8	OVC	3004	94	83	10	1000	NS/Cu	0	0	0
11	190	7	8	S_{CT}	3003	91	82	5	1600	Cu	0	0	0
12	190	4	8	S_{CT}	3005	94	83	6	1600	Cu	0	0	0
13	180	5	10	S_{CT}	2998	93	83	5	1600	Cu	0	0	0
14	180	6	10	S_{CT}	3004	92	82	5	1600	Cu/NS	0	0	0
15	170	4	10	S_{CT}	3000	92	82	5	1600	Cu	0	0	0
16	180	8	10	S_{CT}	2998	91	81	5	1600	Cu	0	0	0
17	170	8	10	S_{CT}	3000	90	81	3	1600	Cu	0	0	0
18	200	10	10	S_{CT}	3000	88	81	5	1600	Cu	0	0	0
19	190	20	10	S_{CT}	3003	77	80	5	1600	Cu	0	0	0
20	070	20	10	S_{CT}	3003	77	76	6	1600	Cu	0	0	0
21	200	3	10	BK_{AC}	3004	76	73	7	1600	Cu	0	0	0
22	200	5	10	OVC	3006	76	73	10	1000	NS/St	0	0	0
23	175	7	10	OVC	3004	77	74	10	1000	NS/St	0	0	0
24	180	5	10	OVC	3006	73	72	10	1000	NS	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 6

REMARKS

00-04. MOORED STARBOARD SIDE TO PIER TEN BERTH FOUR AT U.S. NAVAL BASE, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET. SOPA IS COMINLANT AT U.S. NAVAL BASE, CHARLESTON, SOUTH CAROLINA.

R R Miller
ENS. USNR

04-08. MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES: CARLSON, A.L., 484 1988, EN2, USN, AWOL SINCE 0645, 1 AUGUST 1961.

R R Miller
ENS. USNR

APPROVED: L L Hawkins U.S.N. COMMANDING

EXAMINED: D S Griffin, LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) FRIDAY (Day) 4 (Date) AUGUST (Month), 19 61

0800-1200 MOORED AS BEFORE. 0930 MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES. CONDITION NORMAL. CONDUCTED WEEKLY TEST OF MAGAZINE SPRINKLER SYSTEM. TEST SATISFACTORY.

W B Truell ENS USNR

1200-1600 MOORED AS BEFORE. 1348 CARLSON, A.L. 454-19-87 EW2 USN RETURNED TO THE SHIP 3 DAYS, 6 HOURS, 49 MINUTES AWOL

W B Truell ENS USNR

1600-2400 MOORED AS BEFORE.

W B Truell ENS USNR

2400-2400 MOORED AS BEFORE.

W B Truell ENS USNR

APPROVED: L L Hawkins U.S.N. COMMANDING

EXAMINED: W F Griffin, LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

S-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO 519 ZONE DESCRIPTION +5 DATE SATURDAY (Day) 5 (Date) AUG (Month), 19 61

AT/~~PASSAGE~~ FROM CHARLESTON S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	140	5	10	SCT	3005	74	72	5	1600	Cu/NS	0	0	0
02	170	3	10	SCT	3003	74	72	6	1600	Cu/NS	0	0	0
03	190	2	10	SCT	3001	73	70	6	1600	Cu/NS	0	0	0
04	190	2	10	SCT	3000	78	75	6	1600	Cu/NS	0	0	0
05	200	3	10	BKN	3001	78	75	7	1600	Cu/NS	0	0	0
06	200	4	10	BKN	3003	78	76	7	1600	Cu/NS	0	0	0
07	200	4	10	BKN	3005	79	77	8	1600	Cu/NS	0	0	0
08	200	5	10	SCT	3004	83	79	6	1600	Cu/NS	0	0	0
09	200	6	10	SCT	3003	87	80	6	1600	Cu/NS	0	0	0
10	200	7	10	BKN	3004	88	79	7	1600	Cu/NS	0	0	0
11	200	7	10	BKN	3004	88	79	8	1600	Cu/NS	0	0	0
12	200	7	10	BKN	3004	88	80	8	1600	Cu/NS	0	0	0
13	200	7	10	R	3004	82	76	9	1000	NS	0	0	0
14	200	7	10	R	3004	80	75	9	1000	NS	0	0	0
15	200	7	10	R	3004	75	73	10	1000	Cu/NS	0	0	0
16	190	15	10	R	3002	74	75	9	1000	NS	0	0	0
17	190	9	10	R	3004	74	73	10	1000	NS	0	0	0
18	180	5	10	R	3002	75	74	10	1000	NS	0	0	0
19	185	5	10	BKN	3005	76	75	8	1600	Cu	0	0	0
20	200	5	10	CL	3005	77	75	0	0	0	0	0	0
21	235	5	10	CL	3005	77	75	0	0	0	0	0	0
22	235	7	10	CL	3006	77	75	0	0	0	0	0	0
23	235	7	10	CL	3006	77	75	0	0	0	0	0	0
24	235	8	10	CL	3007	77	75	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 0

REMARKS

04-04 MOORED STARBOARD SIDE TO PIER 10 BERTH 4 AT U.S. NAVAL BASE, CHARLESTON S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. SOPA IS COMINCENT AT USNAVAL BASE. OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS I WITH MATERIAL CONDITION YOKE SET.

W J Trudell ENS USNR

04-04 MOORED AS BEFORE. 0700 MUSTERED THE CREW ON STATION. ABSENTEES: NONE.

W J Trudell ENS USNR.

APPROVED: L L Hawkins U.S.N. COMMANDING

EXAMINED: [illegible], LT U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SATURDAY (Day) 5 (Date) AUGUST (Month), 19 61

0800-1200 MOORED AS BEFORE. QM & BM MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITION NORMAL.

W. H. Friedl ENS USNR.

1200-1600 MOORED AS BEFORE

W H Friedl ENS USNR

1600-2000 MOORED AS BEFORE

W H Friedl ENS USNR

2000-2400 MOORED AS BEFORE.

W H Friedl ENS USNR

APPROVED: L. L. Hawkins U.S.N. COMMANDING

EXAMINED: [signature], LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE SUNDAY (Day) 6 (Date) AUG (Month), 19 61

AT/~~PASSAGE~~ FROM CHARLESTON, SOUTH CAROLINA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	235	4	9	Clr	3008	78	74	0	0	0	0	0	0
02	235	4	9	Clr	3008	78	74	0	0	0	0	0	0
03	235	4	9	Clr	3007	77	75	0	0	0	0	0	0
04	235	4	10	Clr	3006	77	75	0	0	0	0	0	0
05	230	4	10	Clr	3006	78	75	0	0	0	0	0	0
06	230	4	10	Clr	3008	78	76	0	0	0	0	0	0
07	235	3	10	3Cu	3009	79	77	2	16000	Cu	0	0	0
08	235	5	10	Sct	3011	80	76	3	16000	Cu	0	0	0
09	235	6	10	Sct	3011	85	77	3	16000	Cu	0	0	0
10	235	4	10	Sct	3011	87	79	3	16000	Cu	0	0	0
11	225	5	10	Sct	3012	88	79	3	16000	Cu	0	0	0
12	225	7	10	Sct	3012	89	81	3	16000	Cu	0	0	0
13	225	3	10	Sct	3010	90	81	3	16000	Cu	0	0	0
14	225	3	10	Sct	3009	90	81	2	16000	Cu	0	0	0
15	225	3	10	Sct	3008	89	81	4	16000	Cu	0	0	0
16	235	7	10	Sct	3008	87	80	3	16000	Cu	0	0	0
17	245	7	10	Sct	3011	85	80	4	16000	Cu	0	0	0
18	235	7	10	Sct	3010	77	74	4	16000	Cu	0	0	0
19	235	7	10	Sct	3012	74	73	6	16000	Cu	0	0	0
20	230	7	10	Clr	3012	75	73	0	0	0	0	0	0
21	230	6	10	Clr	3013	75	73	0	0	0	0	0	0
22	230	6	10	Clr	3013	76	73	0	0	0	0	0	0
23	230	8	10	Clr	3015	77	73	0	6	6	0	6	0
24	230	6	10	Clr	3014	77	73	0	0	0	0	6	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

0/0-0/4 MOORED STARBOARD SIDE TO PIER 10, BERTH 4 AT US NAVAL BASE, CHARLESTON S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. SOPA IS COMMANT AT US NAVAL BASE. OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET.

W J Friedl ENS USNR

0/4-0/8 MOORED AS BEFORE. 0744 MUSTERED THE CREW ON STATION. ABSENTEES: NONE.

W J Friedl ENS USNR

APPROVED: L L Hawkins U.S.N. COMMANDING

EXAMINED: W T Griffin, LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SUNDAY (Day) 6 (Date) AUGUST (Month), 19 61

08-R MOORED AS BEFORE 0930 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITION NORMAL.

W H Friedl ENS USNR

12-16 MOORED AS BEFORE

W H Friedl ENS USNR

16-20 MOORED AS BEFORE

W H Friedl ENS USNR

20-24 MOORED AS BEFORE

W H Friedl ENS USNR

APPROVED: L L Hawkins U.S.N. COMMANDING

EXAMINED: W D Ruiz Jr, LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE MONDAY (Day) 7 (Date) AUG (Month), 19 61

AT/~~PASSAGE~~ FROM CHARLESTON, SOUTH CAROLINA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	235	3	10	Clr	3013	77	73	0	0	0	0	0	0
02	235	3	10	Clr	3013	77	75	0	0	0	0	0	0
03	235	3	10	Clr	3013	77	75	0	0	0	0	0	0
04	235	3	10	Clr	3013	77	75	0	0	0	0	0	0
05	235	2	10	SCT	3014	78	76	2	11600	Cu	0	0	0
06	230	4	10	SCT	3015	78	76	1	11600	Cu	0	0	0
07	220	3	10	SCT	3018	80	76	1	11600	Cu	0	0	0
08	220	2	10	SCT	3018	82	78	5	1600	Cu	0	0	0
09	210	2	10	SCT	3018	91	89	5	11600	Cu	0	0	0
10	220	2	10	SCT	3019	86	77	5	1600	Cu	0	0	0
11	300	2	10	SCT	3020	87	79	5	1600	Cu	0	0	0
12	200	2	10	SCT	3021	90	77	4	11600	Cu	0	0	0
13	210	4	10	SCT	3021	90	76	5	11600	Cu	0	0	0
14	210	3	10	SCT	3020	92	80	5	1600	Cu	0	0	0
15	210	4	10	SCT	3019	92	80	6	1600	Cu	0	0	0
16	230	3	10	SCT	3019	91	79	5	1600	Cu	0	0	0
17	230	3	10	SCT	3017	89	80	4	11600	Cu	0	0	0
18	220	3	10	SCT	3016	87	79	3	1600	Cu	0	0	0
19	230	3	10	SCT	3016	85	80	2	11600	Cu	0	0	0
20	210	3	10	Clr	3018	85	80	0	0	0	0	0	0
21	230	3	10	Clr	3018	82	78	0	0	0	0	0	0
22	210	3	10	Clr	3020	81	77	0	0	0	0	0	0
23	220	3	10	Clr	3021	81	77	0	0	0	0	0	0
24	222	2	10	Clr	3022	81	77	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

0⌀-⌀4 MOORED STARBOARD SIDE TO PIER 10 BERTH 4 AT US NAVAL BASE, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. SOPA IS COMINCHAN AT US NAVAL BASE. OTHER SHIPS PRESENT INCLUDE VARIOUS OF US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS X WITH MATERIAL CONDITION YOKE SET.

W.B. Friedl ENS USNR.

⌀4-⌀8 MOORED AS BEFORE. ⌀7⌀⌀ MUSTERED THE CREW AT QUARTERS, ABSENTEES: NONE. ~~NORMAN, JOHN W. SN 549-10-11 USN, AOE~~ WT WT

W.B. Friedl ENS USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature], LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) MONDAY (Day) 7 (Date) AUGUST (Month), 19 61

0800-1200. MOORED AS BEFORE. 0847, NORMAN, JOHN W. 549-10-22, FA, USN, RETURNED ON BOARD, HAVING BEEN AWOL SINCE 0645 THIS DATE. 1015 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

K R Mills
ENS. USNR

1200-1600. MOORED AS BEFORE

K R Mills
ENS. USNR

1600-2000. MOORED AS BEFORE.

K R Mills
ENS. USNR

2000-2400. MOORED AS BEFORE.

K R Mills
ENS. USNR.

APPROVED: D. Hawkins U.S.N. COMMANDING

EXAMINED: W. D. Sweeney Jr., LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE TUESDAY (Day) 8 (Date) AUG (Month), 19 61

AT/~~PASSAGE~~ FROM CHARLESTON, SOUTH CAROLINA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	270	2	10	CLR	3022	82	77	0	0	0	0	0	0
02	300	5	10	CLR	3022	79	75	0	0	0	0	0	0
03	330	4	10	CLR	3020	78	76	0	0	0	0	0	0
04	340	3	10	CLR	3019	78	77	0	0	0	0	0	0
05	170	4	10	CLR	3016	80	77	0	0	0	0	0	0
06	180	3	10	CLR	3016	80	77	0	0	0	0	0	0
07	200	3	10	SCT	3018	79	76	3	1600	Cu	0	0	0
08	200	3	10	SCT	3020	81	77	3	1600	Cu	0	0	0
09	200	3	10	SCT	3020	83	76	3	1600	Cu	0	0	0
10	180	3	10	CLR	3022	88	78	4	1600	Cu	0	0	0
11	170	3	10	CLR	3024	90	80	5	1600	Cu	0	0	0
12	160	4	10	SCT	3024	89	78	6	1600	Cu	0	0	0
13	150	4	10	SCT	3024	88	78	5	1600	Cu	0	0	0
14	150	8	10	SCT	3023	88	78	5	1600	Cu	0	0	0
15	150	8	10	SCT	3023	87	77	4	1600	Cu	0	0	0
16	150	10	10	SCT	3020	86	77	3	1600	Cu	0	0	0
17	140	10	10	CLR	3018	85	77	0	0	0	0	0	0
18	140	10	10	CLR	3017	85	79	0	0	0	0	0	0
19	140	10	10	CLR	3017	85	79	0	0	0	0	0	0
20	140	8	10	CLR	3016	84	79	0	0	0	0	0	0
21	140	8	10	CLR	3018	83	79	0	0	0	0	0	0
22	150	5	10	CLR	3019	82	79	0	0	0	0	0	0
23	140	8	10	CLR	3020	82	78	0	0	0	0	0	0
24	140	8	10	CLR	3022	82	78	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04. MOORED STARBOARD SIDE TO PIER TEN BERTH FOUR AT U.S. NAVAL BASE, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET. SOPA IS COMINLANT AT U.S. NAVAL BASE, CHARLESTON, SOUTH CAROLINA.

B B Miller
ENS. USNR.

04-08. MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

B B Miller
ENS. USNR.

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] LT. U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) TUESDAY (Day) 8 (Date) AUGUST (Month), 19 61

OP-12 MOORED AS BEFORE. 0945 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITION NORMAL.

W B Trudell ENS USNR

12-16 MOORED AS BEFORE

W B Trudell ENS USNR

16-20 MOORED AS BEFORE.

W B Trudell ENS USNR

20-24 MOORED AS BEFORE.

W B Trudell ENS USNR

APPROVED: J. H. Hawkins U.S.N. COMMANDING

EXAMINED: W. B. Trudell, LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE WEDNESDAY (Day) 9 (Date) AUGUST (Month), 19 61

AT/~~PASSAGE~~ FROM CHARLESTON, SOUTH CAROLINA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	220	3	8	Clr	3020	83	78	0	0	0	0	0	0
02	220	2	7	Clr	3018	81	77	0	0	0	0	0	0
03	220	2	7	Clr	3018	80	77	0	0	0	0	0	0
04	200	3	7	Clr	3017	80	76	0	0	0	0	0	0
05	200	1	8	Sct	3018	79	76	2	1600	Cu	0	0	0
06	0	0	8	Sct	3020	79	76	3	1600	Cu	0	0	0
07	0	0	8	Sct	3023	78	74	3	1600	Cu	0	0	0
08	0	0	10	Sct	3023	80	77	3	1600	Cu	0	0	0
09	0	0	10	Sct	3026	85	79	4	1600	Cu	0	0	0
10	085	3	10	Sct	3028	86	79	6	1600	Cu	0	0	0
11	080	6	10	Sct	3028	84	77	6	1600	Cu	0	0	0
12	080	5	10	Bkn	3026	85	78	7	1600	Cu	0	0	0
13	080	7	10	Bkn	3024	85	77	8	1600	Cu/Ns	0	0	0
14	085	7	10	Bkn	3023	85	77	7	1600	Cu/Ns	0	0	0
15	085	7	10	Bkn	3023	84	77	7	1600	Cu/Ns	0	0	0
16	145	3	10	Bkn	3024	84	77	7	1600	Cu	0	0	0
17	325	4	10	Sct	3025	83	76	6	1600	Cu	0	0	0
18	055	4	10	Sct	3024	80	75	5	1600	Cu	0	0	0
19	145	8	10	Sct	3023	80	76	4	1600	Cu	0	0	0
20	145	6	9	Clr	3024	80	76	0	0	0	0	0	0
21	145	5	9	Clr	3025	81	76	0	0	0	0	0	0
22	145	4	9	Clr	3026	82	78	0	0	0	0	0	0
23	140	4	8	Clr	3026	81	77	0	0	0	0	0	0
24	140	3	8	Clr	3026	81	78	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

0000-0400 MOORED STARBOARD SIDE TO PIER 10 BERTH 4 AT U.S. NAVAL BASE, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. SOPA IS COMINLANT AT U.S. NAVAL BASE. OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS I WITH MATERIAL CONDITION YOKE SET.

W. A. Trudell ENS USNR

0400-0800 MOORED AS BEFORE. 0730 MUSTERED THE CREW AT QUARTERS, ABSENTEES: NONE

W. A. Trudell ENS USNR

APPROVED: L. G. Hawkins U.S.N. COMMANDING

EXAMINED: W. F. Griffin, LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) WEDNESDAY (Day) 9 (Date) AUGUST (Month), 19 61

0800-1200 MOORED AS BEFORE. 0805 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. 0851 COMMENCED TRANSFERRING AMMUNITION. 0950 COMPLETED TRANSFERRING AMMUNITION, HAVING TRANSFERRED TO NAD, CHARLESTON, SOUTH CAROLINA, 304 ROUNDS 40 MM PROJECTILES, ONE 55 POUND DEMOLITION CHARGE, 191 HAND GRENADES, PLUS MISCELLANEOUS SMALL ARMS AMMUNITION.

R R Miller
ENS. USNR

1200-1600. MOORED AS BEFORE.

R R Miller
ENS. USNR

1600-2000 MOORED AS BEFORE.

R R Miller
ENS. USNR

2000-2400. MOORED AS BEFORE.

R R Miller
ENS. USNR

APPROVED: L L Hawkins U.S.N. COMMANDING

EXAMINED: W T Sizemore, LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE THURSDAY (Day) 10 (Date) AUGUST (Month), 19 61

AT/PASSAGE FROM CHARLESTON, SOUTH CAROLINA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	145	3	C_{LR}	8	3025	81	78	0	0	0	0	0	0
02	145	3	C_{LR}	8	3024	81	78	0	0	0	0	0	0
03	145	2	C_{LR}	8	3024	81	78	0	0	0	0	0	0
04	140	2	C_{LR}	7	3024	81	78	0	0	0	0	0	0
05	0	0	S_{CT}	10	3027	81	78	3	1600	Cu	0	0	0
06	300	1	S_{CT}	10	3027	81	78	4	1600	Cu	0	0	0
07	0	0	S_{CT}	10	3029	83	79	4	1600	Cu	0	0	0
08	0	0	S_{CT}	10	3030	83	79	4	1600	Cu	0	0	0
09	0	0	S_{CT}	10	3030	86	78	6	1600	Cu	0	0	0
10	0	0	S_{CT}	10	3030	86	78	6	1600	Cu/As	0	0	0
11	0	0	T	10	3032	80	76	8	1000	Cu/ST	0	0	0
12	160	3	T	10	3033	81	77	8	1000	Cu/AS	0	0	0
13	160	3	T	10	3033	83	77	8	1000	Cu/As	0	0	0
14	180	2	B_{KN}	10	3030	86	80	7	1000	NS/ST	0	0	0
15	180	H	B_{KN}	10	3030	83	78	8	1000	NS/ST	0	0	0
16	180	2	B_{KN}	10	3028	87	79	8	1000	NS/ST	0	0	0
17	180	2	B_{KN}	10	3026	87	79	8	1000	NS/ST	0	0	0
18	0	0	B_{KN}	10	3028	86	79	8	1000	Cu/AS	0	0	0
19	0	0	B_{KN}	10	3028	86	79	7	1000	Cu/ST	0	0	0
20	0	0	B_{KN}	10	3030	86	79	6	1600	Cu/ST	0	0	0
21	0	0	S_{CT}	10	3028	84	79	3	1600	Cu/AS	0	0	0
22	0	0	S_{CT}	10	3028	83	78	4	1600	Cu	0	0	0
23	0	0	S_{CT}	10	3026	83	78	4	1600	Cu	0	0	0
24	0	0	S_{CT}	10	3026	83	78	5	1600	Cu	0	0	0

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04. MOORED STARBOARD SIDE TO PIER TEN BERTH FOUR AT U.S. NAVAL BASE, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET. SOPA IS ~~COMINLANT~~ COMSUBFLOT 2 AT U.S. NAVAL BASE, CHARLESTON, SOUTH CAROLINA.

R R Miller
ENS. USNR

04-08 MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE

R R Miller
ENS. USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature], LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) THURSDAY (Day) 10 (Date) AUGUST (Month), 10 61

0800-1200 MOORED AS BEFORE. 0814 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITION NORMAL.

W H Friedl ENS USNR

1200-1600 MOORED AS BEFORE. 1315 SET SEA DETAIL 1325 CAPTAIN AND NAVIGATOR ON THE BRIDGE. 1330 YTB765 MADE UP ALONGSIDE TO MOVE ABILITY COLD IRON FROM PIER 10 BERTH 4 TO PIER 9 BERTH 2. 1351 MOORED STARBOARD SIDE TO PIER 9 BERTH 2, ALL LINES DOUBLED. 1400 USS FEARLESS (MSO 442) MOORED ALONGSIDE TO PORT.

W H Friedl ENS USNR

1600-2000 MOORED AS BEFORE

W H Friedl ENS USNR

2000-2400 MOORED AS BEFORE

W H Friedl ENS USNR

APPROVED: L D Hawkins U.S.N. COMMANDING

EXAMINED: W T Griffin, LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE FRIDAY (Day) 11 (Date) AUG (Month), 19 61

AT/~~PASSAGE FROM~~ CHARLESTON S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	0	0	8	F_{LR}	3026	83	77	0	0	0	0	0	0
02	0	0	8	C_{LR}	3025	82	77	0	0	0	0	0	0
03	0	0	8	C_{LR}	3024	81	76	0	0	0	0	0	0
04	0	0	9	C_{LR}	3026	78	75	0	0	0	0	0	0
05	0	0	10	C_{LR}	3026	78	77	0	0	0	0	0	0
06	0	0	10	C_{LR}	3026	78	77	0	0	0	0	0	0
07	0	0	10	C_{LR}	3026	79	78	0	0	0	0	0	0
08	280	3	10	S_{CT}	3030	82	84	5	1600	Cu	0	0	0
09	0	0	11	S_{CT}	3030	84	80	5	1600	Cu	0	0	0
10	0	0	11	S_{CT}	3032	86	78	6	1600	Cu	0	0	0
11	280	4	10	S_{CT}	3032	89	81	6	1600	Cu	0	0	0
12	284	6	10	S_{CT}	3030	89	81	6	1600	Cu	0	0	0
13	280	4	10	S_{CT}	3028	90	81	5	1600	Cu	0	0	0
14	280	4	10	S_{CT}	3027	91	80	4	1600	Cu	0	0	0
15	280	4	10	S_{CT}	3026	91	80	6	1600	Cu/Cl	0	0	0
16	280	4	10	B_{KN}	3025	88	79	7	1600	Cu/Cl	0	0	0
17	360	3	10	B_{KN}	3023	88	79	8	1600	Cu	0	0	0
18	270	3	10	B_{KN}	3024	87	79	8	1600	Cu	0	0	0
19	270	3	10	B_{KN}	3020	85	78	6	1600	Cu	0	0	0
20	0	0	10	C_{LR}	3020	83	80	0	0	0	0	0	0
21	0	0	10	C_{LR}	3024	83	78	0	0	0	0	0	0
22	0	0	10	C_{LR}	3024	83	78	0	0	0	0	0	0
23	0	0	10	C_{LR}	3024	82	79	0	0	0	0	0	0
24	0	0	10	C_{LR}	3024	81	76	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

0800-1200 MOORED STARBOARD SIDE TO PIER 9 BERTH 2 AT US NAVAL BASE, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. SOPA IS COMINLANT AT US NAVAL BASE. OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET.

W.B. Judd ENS USNR.

1200-2000 MOORED AS BEFORE. 1700 MUSTERED THE CREW AT QUARTERS, ABSENTEES: NONE

W.B. Judd ENS USNR.

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____, LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) FRIDAY (Day) 11 (Date) AUGUST (Month), 1961

0800-1200 MOORED AS BEFORE. 0820 MADE DAILY INSPECTION OF MAGAZINE. CONDITIONS NORMAL. 0900 PARADED THE CREW ON THE PIER FOR PRESENTATION OF THE BATTLE EFFICIENCY "E" TO THE SHIP. 0930 SECURED FROM PARADE. 0935 ~~MADE~~ CONDUCTED WEEKLY TEST OF MAGAZINE SPRINKLER SYSTEM. TEST A SATISFACTORY.

E C Boyer
LTJG USN

DCB

1200-1600 MOORED AS BEFORE.

E C Boyer
LTJG USN

1600-2000 MOORED AS BEFORE

E C Boyer
LTJG USN

2000-2400 MOORED AS BEFORE.

E C Boyer
LTJG USN

APPROVED:

L Hawkins U.S.N. COMMANDING

EXAMINED:

W T Sturgis, CT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE SATURDAY (Day) 12 (Date) AUGUST (Month), 19 61

AT/~~PASSAGE~~ FROM CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	0	0	9	Clr	3023	81	77	0	0	0		0	0
02	0	0	9	Clr	3021	78	76	0	0	0	0	0	0
03	0	0	9	Clr	3020	79	76	0	0	0	0	0	0
04	0	0	9	Clr	3018	79	76	0	0	0	0	0	0
05	0	0	9	Clr	3018	78	75	0	0	0	0	0	0
06	0	0	9	Clr	3018	78	78	4	1600	C4	0	0	0
07	0	0	10	Clr	3018	78	78	4	1600	C4	0	0	0
08	0	0	10	Clr	3020	82	77	0	0	0	0	0	0
09	145	3	10	Clr	3020	87	79	0	0	0	0	0	0
10	150	4	10	Sct	3021	89	80	5	1600	C4	0	0	0
11	160	5	10	Sct	3020	89	79	2	1600	C4	0	0	0
12	180	5	10	Sct	3019	90	80	4	1600	C4	0	0	0
13	180	5	10	Sct	3018	92	82	4	1600	C4	0	0	0
14	180	4	10	Sct	3015	92	80	4	1600	NS/C4	0	0	0
15	180	2	10	Sct	3011	93	82	4	1600	NS/C4	0	0	0
16	180	2	10	Sct	3011	92	80	4	1600	NS/C4	0	0	0
17	180	2	10	Sct	3010	87	77	9	1600	NS/C4	0	0	0
18	180	3	10	Sct	3011	82	77	9	1600	NS/C4	0	0	0
19	180	2	10	Sct	3011	83	77	8	1600	NS/C4	0	0	0
20	235	3	10	Sct	3012	82	76	6	1600	NS/C4	0	0	0
21	235	3	10	Sct	3012	82	77	0	0	0	0	0	0
22	240	3	10	Sct	3011	81	76	0	0	0	0	0	0
23	245	2	10	Sct	3011	80	77	0	0	0	0	0	0
24	245	2	10	Sct	3011	80	77	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: Φ

FUEL CONSUMED 0000–2400: Φ

REMARKS

ΦΦ-Φ4 MOORED STARBOARD SIDE TO BERTH 92, PIER 9, U.S. NAVAL BASE, CHARLESTON, SOUTH CAROLINA WITH STANDARD MOORING LINES DOUBLED. MOORED IN A NEST OF TWO SHIPS WITH USS FEARLESS (MSO 442) MOORED OUTBOARD TO PORT. SOPA IS COMINLANT AT U.S. NAVAL BASE, CHARLESTON, S.C. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. SHIP IS RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET.

LTJG USN

Φ4-Φ8 MOORED AS BEFORE Φ6ΦΦ COMINLANT DEPARTED CHARLESTON, COMSUBLANTFLOT ASSUMED DUTIES AS SOPA. Φ73Φ MUSTERED THE CREW ON STATION. ABSENTEES: NONE.

LTJG USN

APPROVED: U.S.N. COMMANDING

EXAMINED: , LT. U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) SATURDAY (Day) 12 (Date) AUGUST (Month), 19 61

0800-1200 MOORED AS BEFORE 0900 MADE DAILY INSPECTION OF MAGAZINE. CONDITIONS NORMAL.

D L Boyer
LTJG USN

1200-1600 MOORED AS BEFORE.

D L Boyer
LTJG USN

1600-2000 MOORED AS BEFORE.

D L Boyer
LTJG USN

2000-2400 MOORED AS BEFORE.

D L Boyer
LTJG USN

APPROVED: S. K. Hawkins U.S.N. COMMANDING

EXAMINED: W. A. Griffin, LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 R DATE SUNDAY (Day) 13 (Date) AUGUST (Month) 19 61

AT/~~PASSAGE FROM~~ MINE CRAFT BASE, CHARLESTON ~~TO~~ SOUTH CAROLINA

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	145	5	2	CLR	30.09	80	77	0	0	0	0	0	0
02	150	2	2	CLR	30.08	80	77	0	0	0	0	0	0
03	160	2	2	CLR	30.09	79	76	0	0	0	0	0	0
04	160	2	10	CLR	30.08	78	74	0	0	0	0	0	0
05	160	2	10	CLR	30.08	78	74	0	0	0	0	0	0
06	180	2	10	SCT	30.08	77	75	4	1600	CU	0	0	0
07	180	2	10	SCT	30.09	78	75	4	1600	CU	0	0	0
08	170	3	10	CLR	30.11	79	75	0	0	0	0	0	0
09	200	2	10	SCT	30.10	80	77	3	20000	CU/CI	0	0	0
10	0	0	10	SCT	30.10	81	79	3	20000	CU/CI	0	0	0
11	0	0	10	SCT	30.10	92	84	3	4500	AC	0	0	0
12	0	0	10	SCT	30.10	94	85	3	4500	AC	0	0	0
13	180	2	10	SCT	30.10	93	82	3	4500	AC	0	0	0
14	180	2	10	SCT	30.09	91	80	3	4500	AC	0	0	0
15	180	2	10	SCT	30.05	94	81	4	1600	NS	0	0	0
16	190	15	10	OVC	30.05	82	75	10	1600	NS	0	0	0
17	190	5	10	OVC	30.07	81	74	10	1600	NS	0	0	0
18	190	5	10	OVC	30.05	80	74	10	1600	NS	0	0	0
19	180	5	10	SCT	30.05	81	75	4	1600	NS	0	0	0
20	175	2	8	BKN	30.12	80	75	8	1600	NS	0	0	0
21	260	2	8	OVC	30.14	81	76	10	1600	NS	0	0	0
22	240	4	8	OVC	30.12	79	75	10	1600	NS	0	0	0
23	320	7	8	OVC	30.13	78	73	10	1600	NS	0	0	0
24	320	7	8	OVC	30.13	77	74	10	1600	NS	0	0	0

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: Φ

FUEL CONSUMED 0000-2400: Φ

REMARKS

ΦΦ-Φ4 MOORED STARBOARD SIDE TO BERTH 92, PIER 9, U.S. NAVAL BASE, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. MOORED IN A NEST OF TWO SHIPS WITH USS FEARLESS (MSO 442) MOORED OUTBOARD TO PORT. SOPA IS COMSUBLANT FLOT 2 IN USS GILMORE (AS-16). SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS I WITH MATERIAL CONDITION YOKE SET.

D. L. Boyer
LTJG USN

Φ4-Φ8 MOORED AS BEFORE. Φ75Φ MUSTERED THE CREW ON STATION. ABSENTEES: NONE.

D. L. Boyer
LTJG USN

APPROVED: D. L. Hawkins U.S.N. COMMANDING

EXAMINED: W. D. Sinopoli, LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SUNDAY (Day) 13 (Date) AUGUST (Month), 19 61

Ø8-12 MOORED AS BEFORE. Ø9ØØ MADE DAILY INSPECTION OF MAGAZINE. CONDITIONS NORMAL.

D L Boyer
LTJG USN

12-16 MOORED AS BEFORE.

D L Boyer
LTJG USN

16-2Ø MOORED AS BEFORE.

D L Boyer
LTJG USN

2Ø-24 MOORED AS BEFORE.

D L Boyer
LTJG USN

APPROVED: L L Hawkins U.S.N. COMMANDING

EXAMINED: W T Griffin, Jr. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE MONDAY (Day) 14 (Date) AUGUST (Month), 19 61

AT/~~PASSAGE~~ FROM CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	320	2	8	OVC	30.15	78	74	10	1000	St	0	0	0
02	315	4	8	OVC	3012	78	74	10	1000	St	0	0	0
03	315	8	8	OVC	3014	77	73	10	1000	St	0	0	0
04	320	5	8	BKN	3014	76	74	8	1600	St/Cu	0	0	0
05	320	5	10	BKN	3013	76	74	8	1600	St/Ns	0	0	0
06	320	5	8	BKN	3014	76	74	9	1600	St/Ns	0	0	0
07	320	3	6	BKN	3016	77	74	8	1600	Ns	0	0	0
08	300	4	7	OVC	3017	80	75	10	1500	Ns	0	0	0
09	290	2	8	OVC	3018	82	76	10	1000	Ns	0	0	0
10	210	4	8	OVC	3020	82	77	10	1000	Ns	0	0	0
11	210	6	9	OVC	3021	83	78	10	1000	Ns/St	0	0	0
12	210	6	9	OVC	3023	87	76	10	1000	Ns	0	0	0
13	210	6	9	R	3022	82	77	10	1000	Ns	0	0	0
14	230	6	9	R	3022	83	77	10	1000	Ns	0	0	0
15	230	6	9	R	3023	80	76	10	1000	Ns	0	0	0
16	050	6	9	OVC	3022	80	76	9	1000	Ns	0	0	0
17	045	6	8	OVC	3022	79	75	9	1000	Ns	0	0	0
18	045	6	10	OVC	3021	79	75	9	1000	Ns/Cu	0	0	0
19	060	8	8	OVC	3021	79	75	9	1000	Ns/Cu	0	0	0
20	070	10	8	OVC	3022	79	74	10	1000	St/Cu	0	0	0
21	070	6	8	OVC	3025	78	74	9	1600	St/Ns	0	0	0
22	070	8	8	Sct	3021	77	73	6	1600	Cu	0	0	0
23	070	8	8	Sct	3024	76	72	6	1600	Cu	0	0	0
24	070	8	5	Sct	3023	76	73	5	1600	Cu	0	0	0

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

0000-0400 MOORED STARBOARD SIDE TO BERTH 92, PIER 9, U.S. NAVAL BASE, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. MOORED IN A NEST OF TWO SHIPS WITH USS FEARLESS (MSO 442) MOORED OUTBOARD TO PORT. SOPA IS COMSUBLANTFLOT 2 IN USS GILMORE (AS 16). SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

D L Boyer
LTJG USN

0400-0800 MOORED AS BEFORE. 0700 MUSTERED THE CREW AT QUARTERS. ABSENTEES NONE.

D L Boyer
LTJG USN

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature], LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) MONDAY (Day) 14 (Date) AUGOST (Month), 19 61

0800-1200 MOORED AS BEFORE 0822 MADE DAILY INSPECTION OF MAGAZINES, CONDITION NORMAL 0845 SET THE SPECIAL SEA DETAIL 0900 CAPTAIN AND NAVIGATOR ON THE BRIDGE. 0925 YTB 388 ALONGSIDE TO ~~##~~ MOVE USS ABILITY FROM PIER 9 BERTH 2 TO PIER 8 BERTH 1, DEAD PLANT. 0945 MOORED STARBOARD SIDE TO PIER USING 4 STANDARD MOORING LINES DOUBLED. 0950 SECURED THE SPECIAL SEA DETAIL AND SET THE REGULAR INPORT WATCH. US

W. J. Friedl ENS USNR

1200-1600 MOORED AS BEFORE

W. J. Friedl ENS USNR

1600-2000 MOORED AS BEFORE

W. J. Friedl ENS USNR

2000-2400 MOORED AS BEFORE

W. J. Friedl ENS USNR

APPROVED: EXAMINED:

D. H. Hawkins U.S.N. COMMANDING W. J. Friedl LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE TUESDAY (Day) 15 (Date) AUGUST (Month), 19 61

AT/~~PASSAGE FROM~~ CHARLESTON, SOUTH CAROLINA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	070	8	10	Clr	3022	76	73	0	0	0	0	0	0
02	070	6	10	Clr	3023	75	72	0	0	0	0	0	0
03	070	6	10	Clr	3024	75	72	0	0	0	0	0	0
04	065	5	10	Clr	3022	74	69	0	0	0	0	0	0
05	060	5	10	Σ A	3020	74	67	6	1600	NS	0	0	0
06	045	7	9	BK N	3022	73	70	8	1600	NS	0	0	0
07	045	8	9	OVC	3024	74	70	10	1600	NS	0	0	0
08	045	8	8	BK N	3024	76	72	8	1600	NS	0	0	0
09	045	6	10	BK N	3024	79	73	8	1600	NS	0	0	0
10	045	6	10	BK N	3025	82	74	7	1600	NS	0	0	0
11	045	6	10	BK N	3025	84	74	7	1600	NS/Cu	0	0	0
12	045	6	10	BK N	3025	85	74	8	1600	NS/Cu	0	0	0
13	055	7	10	BK N	3023	87	76	8	1600	NS/Cu	0	0	0
14	040	8	10	BK N	3022	85	74	7	1601	Cu	0	0	0
15	020	10	10	BK N	3020	84	73	8	1600	Cu	0	0	0
16	050	8	10	BK N	3020	85	75	8	1600	Cu	0	0	0
17	050	6	10	BK N	3018	85	76	8	1600	Cu	0	0	0
18	045	5	10	BK N	3018	84	76	8	1600	Cu	0	0	0
19	045	4	10	BK N	3018	82	75	8	1600	Cu	0	0	0
20	045	4	10	BK N	3017	81	75	8	1600	NS/Cu	0	0	0
21	045	4	10	BK N	3017	80	75	8	1600	NS/Cu	0	0	0
22	045	7	10	BK N	3017	79	74	8	1600	NS/Cu	0	0	0
23	040	4	10	BK N	3018	78	73	8	1600	NS/Cu	0	0	0
24	040	4	10	BK N	3016	77	72	8	1600	Cu/Cs	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER EIGHT PIER ONE, US NAVAL BASE CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. SOPA IS COMSUBFLOT TWO SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS I WITH MATERIAL CONDITION YOKE SET.

W.B. Friedl ENS USNR

04-08 MOORED AS BEFORE. 0760 MUSTERED THE CREW AT QUARTERS. ABSENTEES NONE.

W.B. Friedl ENS USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature], LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) TUESDAY (Day) 15 (Date) AUGUST (Month) TO 61

0800-1200. MOORED AS BEFORE. 0810 MADE DAILY INSPECTION OF MAGAZINES. CONDITIONS NORMAL.

K R Miller ENS USNR

1200-1600. MOORED AS BEFORE

K R Miller ENS. USNR

1600-2000. MOORED AS BEFORE.

K R Miller ENS. USNR

2000-2400. MOORED AS BEFORE.

K R Miller ENS. USNR.

APPROVED: D L Hawkins U.S.N. COMMANDING

EXAMINED: W T Higgins, LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE WEDNESDAY 16 AUGUST, 19 61
(Day) (Date) (Month)

AT/PASSAGE FROM CHARLESTON, SOUTH CAROLINA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	045	4	10	Clr	3016	76	73	9	1000	NS/ST	0	0	0
02	045	4	10	Clr	3015	76	73	9	1400	NS/ST	0	0	0
03	045	6	10	Clr	3015	76	73	9	1600	NS/ST	0	0	0
04	045	8	10	Sct	3015	74	71	6	1500	NS/Cu	0	0	0
05	045	8	10	Sct	3015	73	71	5	1500	NS/Cu	0	0	0
06	045	8	10	Sct	3016	73	70	5	1000	Cu	0	0	0
07	045	8	10	Sct	3017	73	70	4	1000	Cu	0	0	0
08	040	5	10	Sct	3018	75	71	6	1600	Cu	0	0	0
09	035	6	10	Sct	3019	79	74	6	1600	Cu	0	0	0
10	035	5	10	Sct	3019	82	75	6	1600	Cu	0	0	0
11	035	5	10	Bkn	3019	85	75	7	1600	Cu	0	0	0
12	035	7	10	Bkn	3018	85	75	7	1600	Cu	0	0	0
13	035	5	10	Bkn	3016	84	75	8	1600	NS/Cu	0	0	0
14	035	6	10	Bkn	3016	84	75	8	1000	NS/Cu	0	0	0
15	035	6	10	Bkn	3018	83	75	7	1600	Cu	0	0	0
16	035	5	10	Sct	3016	83	74	7	1600	Cu	0	0	0
17	035	7	10	Sct	3016	81	74	7	1600	Cu	0	0	0
18	035	5	10	Sct	3016	80	74	7	1600	Cu	0	0	0
19	035	10	10	Sct	3017	79	75	8	1600	Cu	0	0	0
20	050	4	10	Sct	3018	78	73	7	1600	Cu	0	0	0
21	050	5	10	Sct	3018	78	72	8	1600	Cu	0	0	0
22	045	3	10	Sct	3019	77	72	8	1600	Cu	0	0	0
23	040	4	10	Sct	3019	75	71	6	1600	Cu	0	0	0
24	040	4	10	Sct	3019	75	71	6	1600	Cu	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04. MOORED STARBOARD SIDE TO PIER EIGHT BERTH ONE, U.S. NAVAL BASE, CHARLESTON, SOUTH CAROLINA WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SOPA IS COMSUBFLOT 2 IN USS GILMORE (AS-16). SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

R. R. Miller
ENS. USNR

04-08. MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS. ABSENT EES: NONE.

R. R. Miller
ENS. USNR

APPROVED: R. A. Hawkins U.S.N. COMMANDING

EXAMINED: W. E. Griffin, Jr. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) WEDNESDAY (Day) 16 (Date) AUGUST (Month), 19 61

0800-12 MOORED AS BEFORE. 0810 MADE DAILY INSPECTION OF MAGAZINES, CONDITION NORMAL

W H Friedl ENS USNR

12-16 MOORED AS BEFORE.

W H Friedl ENS USNR

16-24 MOORED AS BEFORE

W H Friedl ENS USNR

24-24 MOORED AS BEFORE

W H Friedl ENS USNR

APPROVED: K A Hawkins U.S.N. COMMANDING

EXAMINED: W D Griffin, LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE THURSDAY (Day) 17 (Date) AUGUST (Month), 19 61

AT/~~PASSAGE FROM~~ CHARLESTON, SOUTH CAROLINA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	082	2	10	Clr	3020	75	72	0	0	0	0	0	0
02	081	2	10	Clr	3018	75	72	0	0	0	0	0	0
03	0	0	10	Clr	3018	75	72	0	0	0	0	0	0
04	010	4	10	Clr	3018	74	70	0	0	0	0	0	0
05	010	4	10	Clr	3020	74	70	0	0	0	0	0	0
06	015	2	10	Clr	3022	73	70	0	0	0	0	0	0
07	015	2	10	Clr	3022	74	71	0	0	0	0	0	0
08	0	0	10	Clr	3023	77	71	0	0	0	0	0	0
09	070	5	10	Clr	3024	82	71	0	0	0	0	0	0
10	070	5	10	Clr	3026	80	70	0	0	0	0	0	0
11	070	5	10	Clr	3026	81	80	0	0	0	0	0	0
12	080	5	10	Clr	3026	84	74	0	0	0	0	0	0
13	080	6	10	Sct	3024	83	73	3	1600	Cu	0	0	0
14	075	8	10	Sct	3022	83	73	3	1600	Cu	0	0	0
15	075	10	10	Sct	3022	83	71	3	1600	Cu	0	0	0
16	075	10	10	Sct	3023	83	74	2	1600	Cu	0	0	0
17	075	10	10	Sct	3022	82	74	2	1600	Cu	0	0	0
18	075	10	10	Sct	3022	82	75	2	1600	Cu	0	0	0
19	070	8	10	Sct	3022	82	74	3	1600	Cu	0	0	0
20	070	8	10	Sct	3022	80	74	2	1600	Cu	0	0	0
21	070	8	10	Sct	3024	79	73	2	1600	Cu	0	0	0
22	070	8	10	Sct	3026	76	73	3	1600	Cu	0	0	0
23	070	8	10	Sct	3026	76	73	3	1600	Cu	0	0	0
24	065	8	10	Clr	3025	74	71	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER 7 BERTH 1, U.S. NAVAL BASE, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. SOPA IS COMSUBFLOT 2 IN USS GILMORE (AS-16) SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US ATLANTIC FLEET PLUS MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

W.B. Friedl ENS USNR

04-08 MOORED AS BEFORE. 0744 MUSTERED THE CREW AT QUARTERS, ABSENTEES, NONE. 0734 SOUNDED THE SPECIAL SEA DETAIL. 0757 YTB 399 MADE UP TO PORT SIDE. CAPTAIN AND NAVIGATOR ON THE BRIDGE. W.B. Friedl ENS USNR

APPROVED: D.R. Hawkins U.S.N. COMMANDING

EXAMINED: W.D. Griffin, Jr. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) THURSDAY (Day) 17 (Date) AUGUST (Month), 19 61

0800-1200. MOORED AS BEFORE. 0801 TUG 96 MADE UP TO PORT BOW. COMPLETED ALL PREPARATIONS FOR GETTING UNDERWAY. DRAFT: FORWARD 10'7", AFT 11'0". 0802 UNDERWAY FROM PIER EIGHT, BERTH ONE, US NAVAL BASE, CHARLESTON, SOUTH CAROLINA. PROCEEDING TO CHARLESTON DRY DOCKS COMPANY, CHARLESTON, SOUTH CAROLINA IN ACCORDANCE WITH COMINLANT WEEKLY OP SCHEDULE. THIS SHIP IS PROCEEDING DEAD PLANT. 0804 CAST OFF TUG 96. 0812 PASSED JETTY ABEAM TO STARBOARD. 0835 PASSED BENEATH GRACE MEMORIAL BRIDGE. 0842 A COMMERCIAL TUGBOAT "MARS" MADE UP TO OUR STARBOARD QUARTER. 0843 CAST OFF YTB 399. 0844 COMMERCIAL TUGBOAT "HINTON" MADE UP TO OUR PORT QUARTER. PILOT RINGDE CAME ABOARD. 0901 CAST OFF A COMMERCIAL TUGBOAT "MARS". 0914 MOORED STARBOARD SIDE TO PIER AT CHARLESTON DRYDOCK AND SHIP BUILDING COMPANY, CHARLESTON, SOUTH CAROLINA. SECURE SEA DETAIL; SET REGULAR INPORT WATCH. A PILOT DEPARTED. 0915 CAST OFF A COMMERCIAL TUGBOAT "HINTON". 0945 MADE DAILY INSPECTION OF MAGAZINES; CONDITIONS NORMAL. 1014 COMMENCED RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. SOPA IS COM SUBFLOT 2 IN USS GILMORE

K R Miller
ENS. USNR

1200-1600. MOORED AS BEFORE.

K R Miller
ENS. USNR

1600-2000. MOORED AS BEFORE.

K R Miller
ENS. USNR

2000-2400. MOORED AS BEFORE

K R Miller
ENS. USNR.

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE FRIDAY (Day) 18 (Date) AUGUST (Month), 19 61

AT/~~PASSAGE FROM~~ CHARLESTON, SOUTH CAROLINA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	070	9	9	Clr	3026	74	71	0	0	0	0	0	0
02	070	6	9	Clr	3024	74	71	0	0	0	0	0	0
03	070	7	9	Clr	3022	75	72	0	0	0	0	0	0
04	070	8	10	Clr	3022	75	72	0	0	0	0	0	0
05	075	8	10	Clr	3022	75	72	0	0	0	0	0	0
06	075	12	10	Clr	3024	75	72	0	0	0	0	0	0
07	070	12	10	Sct	3026	75	73	3	1600	Cu	0	0	0
08	070	10	10	Sct	3028	77	74	4	1600	Cu	0	0	0
09	070	10	10	Sct	3028	80	74	6	1600	Cu	0	0	0
10	070	10	10	Ovc	3028	80	75	8	1600	Cu	0	0	0
11	070	10	10	Ovc	3028	80	75	10	1500	Cu/ns	0	0	0
12	070	8	10	Ovc	3026	81	76	10	1400	Cu/ns	0	0	0
13	070	8	10	Ovc	3026	82	76	10	1400	Cu/ns	0	0	0
14	070	10	10	Ovc	3025	81	76	10	1000	Cu/ns	0	0	0
15	070	10	10	Ovc	3023	80	75	10	1000	Cu/ns	0	0	0
16	085	8	10	Ovc	3023	80	75	10	1000	Cu/ns	0	0	0
17	080	7	10	Ovc	3022	79	74	10	1000	Cu/ns	0	0	0
18	080	7	10	Ovc	3020	79	74	10	1000	Ns	0	0	0
19	090	6	8	Ovc	3022	79	74	10	1000	Ns	0	0	0
20	090	6	8	Ovc	3022	79	73	10	1000	Ns	0	0	0
21	090	7	8	R	3023	75	74	10	1000	Ns	0	0	0
22	090	7	8	R	3023	75	74	10	1000	Ns	0	0	0
23	090	7	6	R	3020	75	74	10	1000	Ns	0	0	0
24	300	10	3	F	3019	75	73	10	1000	Cb	0	0	6

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04. MOORED STARBOARD SIDE TO PIER AT CHARLESTON DRY DOCK AND SHIP BUILDING COMPANY, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. SOPA IS COMSUBFLOT 2 IN USS GILMORE (AS 16) SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

K R Miller
ENS. USNR

04-08 MOORED AS BEFORE. 0740 MUSTERED THE CREW AT QUARTERS ABSENTEES: NONE.

K R Miller
ENS. USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) FRIDAY (Day) 18 (Date) AUGUST (Month), 19 61

0800-1200. MOORED AS BEFORE. 0840 MADE DAILY INSPECTION OF MAGAZINES; CONDITIONS NORMAL. MADE WEEKLY TEST OF MAGAZINE ~~AND~~ SPRINKLING AND FLOODING SYSTEM; CONDITIONS SATISFACTORY.

K R Miller
ENS. USNR

1200-1600. MOORED AS BEFORE.

K R Miller
ENS. USNR

1600-2000 MOORED AS BEFORE

K R Miller
ENS. USNR

2000-2400. MOORED AS BEFORE.

K R Miller
ENS. USNR

APPROVED: L A Hawkins U.S.N. COMMANDING

EXAMINED: W D Griffin Lt. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE SATURDAY (Day) 19 (Date) AUGUST (Month), 19 61

AT/~~PASSAGE FROM~~ CHARLESTON, SOUTH CAROLINA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	280	3	R	3	3018	73	72	10	1000	NS	0	0	0
02	300	3	R	3	3016	74	72	10	1000	NS	0	0	0
03	300	3	R	3	3015	73	72	10	1000	NS	0	0	0
04	300	2	R	2	3011	73	72	10	1000	NS	0	0	0
05	110	4	OVC	4	3013	73	72	10	1000	NS	0	0	0
06	110	10	R	10	3013	73	72	10	1000	NS	0	0	0
07	110	10	R	10	3010	73	72	10	1000	NS	0	0	0
08	120	8	OVC	8	3010	75	73	10	1600	NS	0	0	0
09	320	8	OVC	8	3010	75	73	10	1601	NS	0	0	0
10	320	8	OVC	8	3010	75	73	10	1600	NS	0	0	0
11	320	6	R	8	3010	75	73	10	1000	NS	0	0	0
12	320	6	R	8	3009	75	73	10	1000	NS	0	0	0
13	325	6	R	4	3009	75	73	10	1000	NS	0	0	0
14	325	5	R	5	3009	75	73	10	1000	NS	0	0	0
15	325	7	OVC	6	3009	74	73	10	1600	NS	0	0	0
16	325	1	OVC	6	3004	75	72	10	1600	NS	0	0	0
17	330	1	R	6	3004	75	72	10	1000	NS	0	0	0
18	330	5	R	7	3004	74	73	10	1000	NS	0	0	0
19	335	5	R	7	3004	74	73	10	1000	NS	0	0	0
20	340	4	R	7	3003	74	73	10	1000	NS	0	0	0
21	340	3	R	7	3003	73	71	10	1000	NS	0	0	0
22	340	3	OVC	6	3003	73	71	10	1000	NS	0	0	0
23	340	3	OVC	6	3001	73	71	10	1000	NS	0	0	0
24	340	2	R	6	3000	73	71	10	1000	NS	0	0	0

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
80

REMARKS

00-04. MOORED STARBOARD SIDE TO PIER AT CHARLESTON DRY DOCK AND SHIPBUILDING COMPANY, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLES AND WIRE PREVENTER OUT AFT TO THE PIER. SOPA IS COMSUBFLOT 2 IN USS GILMORE (AS-16) SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

R R Miller
ENS. USNR

04-08. MOORED AS BEFORE. 0740 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

R R Miller
ENS. USNR.

APPROVED: W A Hawkins U.S.N. COMMANDING

EXAMINED: W F Higgins LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SATURDAY (Day) 19 (Date) AUGUST (Month), 19 61

0800-1200. MOORED AS BEFORE. 0845 MADE DAILY INSPECTION OF MAGAZINES; CONDITIONS NORMAL.

R R Miller
ENS. USNR

1200-1600. MOORED AS BEFORE.

R R Miller
ENS. USNR

1600-2000. MOORED AS BEFORE

R R Miller
ENS USNR

2000-2400. MOORED AS BEFORE.

R R Miller
ENS. USNR.

APPROVED: L L Hawkins U.S.N. COMMANDING

EXAMINED: L E Griffin, Jr. LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE SUNDAY (Day) 20 (Date) AUGUST (Month), 19 61

AT/~~PASSAGE~~ FROM CHARLESTON, SOUTH CAROLINA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	340	8	3	R	3000	71	70	10	1000	NS	0	0	0
02	340	8	3	R	2995	71	70	10	1000	NS	0	0	0
03	340	8	3	R	2992	71	70	10	1000	NS	0	0	0
04	340	8	3	OVC	2987	71	70	10	1000	NS	0	0	0
05	340	8	5	R	2987	74	73	10	1000	NS	0	0	0
06	340	8	5	R	2985	76	75	10	1000	NS	0	0	0
07	150	8	7	R	2985	77	74	10	1000	NS	0	0	0
08	140	9	10	SKN	2985	75	72	10	1600	Cu	0	0	0
09	140	8	10	Sct	2987	70	73	6	1600	Cu	0	0	0
10	200	5	10	Sct	2990	79	74	6	1600	Cu	0	0	0
11	200	8	10	Sct	2990	82	75	6	1600	Cu	0	0	0
12	200	8	10	Sct	2990	83	75	6	1600	Cu	0	0	0
13	300	8	10	Sct	2990	83	75	6	1600	Cu	0	0	0
14	200	9	10	Sct	2990	83	75	6	1600	Cu	0	0	0
15	200	10	10	SKN	2985	85	77	8	1600	Cu/Cb	0	0	0
16	200	5	10	SKN	2985	79	73	7	1600	Cu/Cb	0	0	0
17	200	5	10	SKN	2987	75	70	8	1600	Cu/Cb	0	0	0
18	200	6	10	OVC	2990	73	69	9	1000	Cu	0	0	0
19	200	7	10	R	2990	72	67	10	1000	Cu	0	0	0
20	210	6	10	OVC	2993	70	68	10	1000	Cu	0	0	0
21	210	6	10	OVC	2996	69	66	10	1000	Cu/Cb	0	0	0
22	280	8	10	SKN	2996	67	66	8	1600	Cu/Cb	0	0	0
23	300	8	10	SKN	2997	66	64	8	1600	Cu	0	0	0
24	310	7	10	SKN	3000	68	67	7	1600	Cu	0	0	0

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 250

REMARKS

00-04. MOORED STARBOARD SIDE TO PIER AT CHARLESTON DRYDOCK AND SHIPBUILDING COMPANY, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. SOPA IS COMINLANT AT U.S. NAVAL BASE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTK FLEET PLUS VARIOUS ~~UNITS~~ YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS ~~from~~ SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

R R Miller
ENS. USNR

04-08. MOORED AS BEFORE. 0740 MUSTERED THE CREW AT QUARTERS. ABSENTEES; NONE.

R R Miller
ENS. USNR.

APPROVED: L L Hawkins U.S.N. COMMANDING

EXAMINED: W T Ruddin, LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SONDAY (Day) 20 (Date) AUGOST (Month), 19 61

08-12. MOORED AS BEFORE. 0845 MADE DAILY INSPECTION OF MAGAZINES; CONDITIONS NORMAL.

K R Miller
ENS. USNR

12-16. MOORED AS BEFORE

K R Miller
ENS. USNR

16-20 MOORED AS BEFORE

K R Miller
ENS. USNR

20-24. MOORED AS BEFORE

K R Miller
ENS. USNR.

APPROVED:

U.S.N. COMMANDING

EXAMINED:

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE MONDAY (Day) 21 (Date) AUGUST (Month), 19 61

AT/~~PASSAGE FROM~~ CHARLESTON, SOUTH CAROLINA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	340	5	8	Hz	2999	68	67	9	1600	Cu/Sc	0	0	0
02	340	5	8	Sct	3000	68	67	6	1600	Cu/Sc	0	0	0
03	340	5	8	Cir	3002	68	66	0	0	0	0	0	0
04	340	5	8	Clr	3002	68	66	0	0	0	0	0	0
05	0	0	9	Clr	3004	68	65	0	0	0	0	0	0
06	0	0	10	Clr	3005	68	66	0	0	0	0	0	0
07	0	0	10	Clr	3006	69	67	0	0	0	0	0	0
08	0	0	10	Clr	3009	74	70	0	0	0	0	0	0
09	180	3	10	Clr	3010	78	75	0	0	0	0	0	0
10	175	2	10	Sct	3011	84	78	4	1600	Cu	0	0	0
11	175	2	10	Sct	3012	83	78	4	1600	Cu	0	0	0
12	170	4	10	Sct	3011	83	73	5	1600	Cu	0	0	0
13	175	5	10	Sct	3012	83	75	6	1600	Cu	0	0	0
14	175	8	10	Sct	3010	82	74	5	1600	Cu	0	0	0
15	175	6	10	Sct	3009	82	74	4	1600	Cu	0	0	0
16	175	5	10	Sct	3010	81	73	4	1600	Cu	0	0	0
17	175	5	10	Sct	3010	81	75	5	1600	Cu/Sc	0	0	0
18	175	3	10	Sct	3010	81	71	5	1600	Cu/Sc	0	0	0
19	175	5	10	Sct	3010	82	76	3	1600	Cu	0	0	0
20	0	0	10	Sct	3012	81	75	5	1600	Cu	0	0	0
21	180	1	10	Sct	3012	82	76	5	1600	Cu	0	0	0
22	0	0	10	Sct	3012	81	75	6	1600	Cu	0	0	0
23	0	0	10	Sct	3010	81	75	4	1600	Cu	0	0	0
24	0	0	10	Sct	3010	81	75	4	1600	Cu	0	0	0

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0 148

REMARKS

00-04. MOORED STARBOARD SIDE TO THE PIER AT CHARLESTON DRYDOCK AND SHIPBUILDING COMPANY, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. SOPA IS COMINLANT AT U.S. NAVAL BASE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

R. D. Miller
ENS. USNR

04-08. MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE

R. D. Miller
ENS. USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature], LT. U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) MONDAY (Day) 21 (Date) AUGUST (Month), 19 61

0800-1200. MOORED AS BEFORE. 0910 MADE DAILY INSPECTION OF MAGAZINES; CONDITIONS NORMAL.

R R Miller
ENS. USNR

1200-1600. MOORED AS BEFORE

R R Miller
ENS. USNR

1600-2000 MOORED AS BEFORE

R R Miller
ENS. USNR

2000-2400. MOORED AS BEFORE.

R R Miller
ENS. USNR

APPROVED: L. Hawkins U.S.N. COMMANDING

EXAMINED: [signature] LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE TUESDAY 22 AUGUST, 19 61
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ CHARLESTON, SOUTH CAROLINA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	230	2	6	S_{CT}	3011	80	77	6	1600	Cu	0	0	0
02	230	2	8	S_{CT}	3010	79	76	6	1600	Cu	0	0	0
03	230	2	9	O_{VC}	3011	79	75	16	1000	Cu/ST	0	0	0
04	230	2	10	O_{VC}	3010	80	77	10	1000	ST/AS	0	0	0
05	230	2	10	O_{VC}	3011	80	77	10	1000	ST/AS	0	0	0
06	230	2	10	O_{VC}	3012	80	77	10	1000	ST/S	0	0	0
07	230	2	10	O_{VC}	3013	77	74	10	1000	ST/AS	0	0	0
08	240	2	10	O_{VC}	3011	82	75	10	1000	ST	0	0	0
09	245	3	10	O_{VC}	3013	85	76	10	1000	NS	0	0	0
10	245	4	10	O_{VC}	3015	85	76	10	1000	NS	0	0	0
11	240	6	10	O_{VC}	3018	85	76	9	1000	NS	0	0	0
12	240	7	10	BK_N	3017	84	76	8	1600	NS	0	0	0
13	240	7	10	BK_N	3015	83	76	8	1600	NS	0	0	0
14	240	7	10	BK_N	3013	83	76	8	1600	ST/SC	0	0	0
15	240	7	10	BK_N	3012	82	77	7	1600	ST/Cu	0	0	0
16	240	8	10	BK_N	3011	82	77	8	1600	Cu/AS	0	0	0
17	250	8	10	O_{VC}	3010	80	75	9	1600	Cu/AS	0	0	0
18	280	6	10	O_{VC}	3010	79	74	10	1000	NS	0	0	0
19	290	4	10	O_{VC}	3009	78	73	10	1000	NS	0	0	0
20	310	5	10	O_{VC}	3012	78	75	10	1600	NS	0	0	0
21	310	5	10	O_{VC}	3014	78	75	10	1600	NS	0	0	0
22	310	5	10	O_{VC}	3014	78	75	10	1000	NS/ST	0	0	0
23	310	6	10	O_{VC}	3013	78	75	10	1000	NS/ST	0	0	0
24	310	4	10	O_{VC}	3014	76	74	10	1000	ST.	0	0	0

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 201

REMARKS

0000-0400. MOORED STARBOARD SIDE TO THE PIER AT CHARLESTON DRY DOCK AND SHIPBUILDING COMPANY, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. SOPA IS COMINLANT AT U.S. NAVAL BASE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET.

R. A. Miller
ENS. USNR

0400-0800. MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE

R. A. Miller
ENS. USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) TUESDAY (Day) 22 (Date) AUGUST (Month), 19 U

0800-12 MOORED AS BEFORE 0915 MADE DAILY INSPECTION OF MAGAZINES, CONDITION NORMAL.

W B Friedl ENS USNR

12-16 MOORED AS BEFORE. 1312 SET SPECIAL DETAIL. MADE ALL PREPARATIONS FOR GETTING UNDERWAY. PILOT ABOARD. 1327 CAPTAIN AND NAVIGATOR ON BRIDGE. TUG BOAT MADE UP ON PORT SIDE. 1342 UNDERWAY COLD IRON ON VARIOUS COURSES AT VARIOUS SPEEDS UNDER POWER OF TUG. PROCEEDING TO CHARLESTON DRYDOCK AND SHIPBUILDING COMPANY, CHARLESTON, S.C., DRYDOCK 1407 ~~TUGBOAT DRYDOCK~~ ~~1543~~ BOW PASSED OVER SILL OF DOCK, FIRST LINE TO DOCK PORT BOW. 1420 COMMENCED PUMPING WATER OUT OF DRY DOCK. 1543 RESTING ON KEEL BLOCKS, RECEIVING ELECTRICAL POWER, FRESH AND FLUSHING WATER FROM DOCK. W7 W8

W B Friedl ENS USNR

16-20 RESTING ON KEEL BLOCKS AS BEFORE.

W B Friedl ENS USNR

20-24 RESTING ON KEEL BLOCKS AS BEFORE

W B Friedl ENS USNR

APPROVED: D Hawkins U.S.N. COMMANDING

EXAMINED: W D Griffin Jr. LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE WEDNESDAY (Day) 23 (Date) AUG (Month), 19 61

AT/PASSAGE FROM CHARLESTON S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	240	2	8	Hzy	3014	78	76	8	1600	CS/AS	0	0	0
02	0	0	8	Hzy	3013	78	77	8	1600	CS/NS	0	0	0
03	0	0	8	Hzy	3013	79	77	9	1600	NS	0	0	0
04	0	0	9	Hzy	3013	78	77	10	1600	NS	0	0	0
05	0	0	8	Hzy	3014	78	77	10	1600	NS	0	0	0
06	0	0	8	Hzy	3015	78	76	10	1600	Cu/NS	0	0	0
07	0	0	9	Hzy	3016	77	75	8	1600	Cu	0	0	0
08	240	2	9	Hzy	3018	80	77	7	1600	Cu/NS	0	0	0
09	240	3	10	Sct	3020	80	76	6	1600	Cu/NS	0	0	0
10	050	2	10	Hzy	3021	82	78	7	1600	Cu	0	0	0
11	050	1	10	Hzy	3021	84	79	7	1600	Cu	0	0	0
12	030	4	10	Hzy	3020	85	79	7	1600	Cu	0	0	0
13	040	4	10	Hzy	3021	86	80	8	1600	NS	0	0	0
14	050	4	10	Hzy	3020	86	79	7	1600	Cu	0	0	0
15	080	5	10	Sct	3018	86	79	6	1600	Cu	0	0	0
16	080	7	10	Sct	3017	85	77	6	1600	Cu	0	0	0
17	090	8	10	Sct	3016	84	76	6	1600	Cu	0	0	0
18	110	4	10	Sct	3015	81	76	6	1600	Cu	0	0	0
19	110	4	10	Sct	3015	81	76	6	1600	Cu	0	0	0
20	110	4	10	Sct	3016	78	75	6	1600	Cu	0	0	0
21	110	4	10	Sct	3020	75	76	6	1600	Cu	0	0	0
22	110	5	10	Sct	3020	78	76	6	1600	Cu	0	0	0
23	110	5	10	Sct	3020	78	75	6	1600	Cu	0	0	0
24	115	6	10	Sct	3020	78	75	6	1600	Cu	0	0	0

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

Ø4-04 RESTING ON KEEL BLOCKS IN DRYDOCK AT CHARLESTON DRYDOCK AND SHIPBUILDING COMPANY, CHARLESTON, S.C. RECEIVING MISCELLANEOUS SERVICES FROM THE DOCK. SOPA IS COMINCANT AT US NAVAL BASE, CHARLESTON. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT.

W H Arnold ENS USNR

Ø4 Ø8 RESTING ON KEEL BLOCKS AS BEFORE. ØØSØ MUSTERED THE CREW AT QUARTERS. ABSENTEES, NONE.

W H Arnold
ENS USNR

APPROVED: L L Hawkins U.S.N. COMMANDING

EXAMINED: [illegible], LT. U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) WEDNESDAY (Day) 23 (Date) AUGUST (Month), 19 61

0800-1200. RESTING ON KEEL BLOCKS AS BEFORE. 0812 MADE DAILY INSPECTION OF MAGAZINES; CONDITIONS NORMAL.

K R Miller
ENS. USNR

1200-1600. RESTING ON KEEL BLOCKS AS BEFORE.

K R Miller
ENS. USNR

1600-2000 RESTING ON KEEL BLOCKS AS BEFORE.

K R Miller
ENS. USNR

2000-2400. RESTING ON KEEL BLOCKS AS BEFORE.

K R Miller
ENS. USNR

APPROVED: D. Hawkins U.S.N. COMMANDING

EXAMINED: W. T. Higgins, LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE THURSDAY (Day) 2 (Date) AUG (Month), 19 61

AT/~~PASSAGE FROM~~ CHARLESTON, SOUTH CAROLINA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	0	0	8	Sct	30[illegible]	76	76	4	1600	Cu	0	0	0
02	0	0	8	Sct	3018	77	75	3	1600	Cu	0	0	0
03	0	0	8	Sct	3017	77	75	2	1600	Cu	0	0	0
04	0	0	8	Sct	3017	77	75	2	1600	Cu	0	0	0
05	0	0	8	Sct	3017	77	74	2	1600	Cu	0	0	0
06	110	4	10	Sct	3018	77	75	5	1600	Cu	0	0	0
07	110	4	10	Sct	3019	78	75	5	1600	Cu	0	0	0
08	110	3	10	Sct	3021	81	78	5	1600	Cu	0	0	0
09	0	0	10	Sct	3022	83	87	7	1600	Cu	0	0	0
10	0	0	10	Sct	3022	85	79	7	1600	Cu	0	0	0
11	0	0	10	Sct	3021	87	79	4	1600	Cu	0	0	0
12	090	3	10	Sct	3020	86	79	4	1600	Cu	0	0	0
13	080	3	10	Sct	3019	87	79	4	1600	Cu	0	0	0
14	090	3	10	Sct	3016	80	80	4	1600	Cu	0	0	0
15	090	3	10	Sct	3017	87	79	4	1600	Cu	0	0	0
16	085	4	10	Sct	3016	87	79	6	1600	Cu	0	0	0
17	076	2	10	Sct	3016	86	77	6	4000	Ci/Cu	0	0	0
18	080	3	10	Sct	3016	85	76	7	4500	Ci	0	0	0
19	040	1	10	Sct	3015	83	74	6	4500	Ci	0	0	0
20	040	1	10	Sct	3015	83	74	6	4500	Ci	0	0	0
21	090	1	10	Sct	3017	82	75	6	4500	Ci	0	0	0
22	040	1	10	Sct	3018	80	74	6	4500	Ci	0	0	0
23	090	1	10	Sct	3018	80	75	6	4500	Ci	0	0	0
24	045	2	10	Sct	3016	80	75	5	1600	Cu	0	0	0

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 0

REMARKS

00-04 RESTING ON KEEL BLOCKS IN DRYDOCK AT CHARLESTON DRYDOCK AND SHIP BUILDING COMPANY, CHARLESTON, SOUTH CAROLINA, RECEIVING MISCELLANEOUS SERVICES FROM THE DOCK. SOPA IS COMINLANT AT U.S. NAVAL BASE, CHARLESTON. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT.

E R Miller
ENS. USNR

04-08. RESTING ON KEEL BLOCKS AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

E R Miller
ENS. USNR.

APPROVED: L Hawkins U.S.N. COMMANDING

EXAMINED: [illegible], LT. U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABLITY (MSO 519) THURSDAY (Day) 24 (Date) AUGUST (Month), 19 61

0800-1200 RESTING ON KEEL BLOCKS AS BEFORE 0945 MADE DAILY INSPECTIONS OF MAGAZINES, CONDITION NORMAL.

W.S. Trudell ENS USNR

1200-1600 RESTING ON KEEL BLOCKS AS BEFORE

W.S. Trudell ENS USNR

1600-2400 RESTING ON KEEL BLOCKS AS BEFORE

W.S. Trudell ENS USNR

2400-2400 RESTING ON KEEL BLOCKS AS BEFORE.

W.S. Trudell ENS USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE FRIDAY (Day) 25 (Date) AUGUST (Month), 19 61

AT/PASSAGE FROM CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	000	2	10	Hze	3014	80	77	7	1600	Cu	0	0	0
02	000	2	10	Hze	3012	79	77	8	1000	Cu/Sc	0	0	0
03	025	3	10	Sct	3012	79	77	6	1600	Cu	0	0	0
04	060	1	10	Sct	3011	79	77	4	1600	Cu	0	0	0
05	0	0	6	Sct	3011	78	76	3	1600	Cu	0	0	0
06	0	0	10	Sct	3013	78	76	3	1600	Cu	0	0	0
07	0	0	10	Sct	3013	80	79	5	1600	Cu	0	0	0
08	060	2	10	Sct	3013	80	79	5	1600	Cu	0	0	0
09	070	2	10	Sct	3013	92	81	5	1600	Cu	0	0	0
10	0	0	10	Sct	3012	92	81	5	1600	Cu	6	0	0
11	0	0	10	Sct	3011	93	82	4	1600	Cu	0	0	0
12	0	0	10	Sct	3010	93	82	3	1600	Cu	0	0	0
13	0	0	10	Bkn	3010	88	83	7	1200	Cu/Sc	0	0	0
14	0	0	10	Ovc	3008	82	75	10	1000	Cu/Sc	0	0	0
15	0	0	10	Ovc	3006	83	77	9	1000	As/St	0	0	0
16	0	0	10	Ovc	3005	82	77	10	1000	As	0	0	0
17	0	0	10	Ovc	3004	81	76	10	1600	As/Cu	0	0	0
18	0	0	10	Sct	3004	80	76	6	1600	Cu	0	0	0
19	230	3	10	Sct	3006	80	75	4	1600	Cu	0	0	0
20	280	4	8	Sct	3006	80	75	5	1600	Cu	0	0	0
21	340	4	8	Sct	3006	79	75	3	1600	Cu	0	0	0
22	340	3	9	Sct	3002	78	74	3	1600	Cu	0	0	0
23	340	3	8	Sct	3006	78	74	6	1600	Cu	0	0	0
24	0	0	9	Sct	3007	78	75	6	1600	Cu	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 RESTING ON KEEL BLOCKS IN DRYDOCK AT CHARLESTON DRYDOCK AND SHIPBUILDING COMPANY, CHARLESTON S.C. RECEIVING MISCELLANEOUS SERVICES FROM THE DOCK. SOPA. IS COMINCENT AT US NAVAL BASE, CHARLESTON. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT

W.A. Pruett ENS USNR.

04-08 RESTING ON KEEL BLOCKS AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS, ABSENTEES, NONE.

W.A. Pruett ENS USNR.

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] Lt. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) FRIDAY (Day) 25 (Date) AUGUST (Month), 19 61

@ 8-12. RESTING ON KEEL BLOCKS AS BEFORE. @ 854 MADE DAILY INSPECTION OF MAGAZINES; CONDITIONS NORMAL. MADE WEEKLY TEST OF MAGAZINE SPRINKLING AND FLOODING SYSTEM; CONDITIONS SATISFACTORY.

R R Miller
ENS. USNR

12-16. RESTING ON KEEL BLOCKS AS BEFORE.

R R Miller
ENS. USNR

16-20 RESTING ON KEEL BLOCKS AS BEFORE.

R R Miller
ENS. USNR

20-24. RESTING ON KEEL BLOCKS AS BEFOAE.

R R Miller
ENS. USNR.

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE SATURDAY (Day) 26 (Date) AUGUST (Month), 19 61

AT/~~PASSAGE FROM~~ CHARLESTON, SOUTH CAROLINA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	0	0	9	R	3006	77	76	10	1000	NS/ST	0	0	0
02	300	3	9	Ovc	3004	77	76	10	1000	ST	0	0	0
03	300	3	9	Ovc	3004	78	76	10	1000	ST	0	0	0
04	300	3	9	Ovc	3004	79	76	10	1000	ST	0	0	0
05	0	0	10	BKN	3003	79	76	8	1000	Cu/NS	0	0	0
06	0	0	10	BKN	3007	79	76	8	1000	Cu/NS	0	0	0
07	0	0	10	BKN	3005	80	77	8	1000	Cu/NS	0	0	0
08	0	0	10	R	3002	83	78	10	1000	NS	0	0	0
09	0	0	10	R	3004	84	79	10	1000	NS	0	0	0
10	0	0	10	Ovc	3003	83	78	10	1600	NS	0	0	0
11	120	3	10	Ovc	3004	83	78	10	1600	NS/ST	0	0	0
12	320	4	10	Ovc	3003	85	78	10	1000	NS/ST	0	0	0
13	320	4	10	Ovc	3004	83	78	10	1000	NS	0	0	0
14	320	7	10	Ovc	3004	80	78	10	1000	NS	0	0	0
15	320	9	10	R	3004	78	75	10	1000	NS	0	0	0
16	300	4	8	R	3002	77	75	10	1000	NS	0	0	0
17	0	0	6	Ovc	3001	76	75	10	1000	NS/ST	0	0	0
18	0	6	6	Ovc	3000	76	75	10	1000	NS/ST	0	0	0
19	300	4	6	Ovc	3000	77	75	10	1000	NS/ST	0	0	0
20	300	4	7	Ovc	3001	77	76	10	1000	NS/ST	0	0	0
21	300	4	8	Ovc	3001	77	76	10	1000	Cu/NS	0	0	0
22	310	4	8	BKN	3001	77	76	8	1000	Cu/NS	0	0	0
23	310	4	8	BKN	3001	77	75	8	1600	Cu/NS	0	0	0
24	320	3	7	BKN	3002	80	72	8	1600	Cu/NS	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04. RESTING ON KEEL BLOCKS IN DRYDOCK OF CHARLESTON DRYDOCK AND SHIP BUILDING COMPANY, CHARLESTON, SOUTH CAROLINA, RECEIVING MISCELLANEOUS SERVICES FROM THE DOCK. SOPA IS COMINLANT AT U.S. NAVAL BASE, CHARLESTON, SOUTH CAROLINA. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT.

R.R. Miller
ENS. USNR

04-08. RESTING ON KEEL BLOCKS AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

R.R. Miller
ENS. USNR

APPROVED: L.L. Hawkins U.S.N. COMMANDING

EXAMINED: W.E. Griffin, LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SATURDAY (Day) 26 (Date) AUGUST (Month), 19 61

08-12. RESTING ON KEEL BLOCKS AS BEFORE. 0825 MADE DAILY INSPECTION OF MAGAZINES; CONDITIONS NORMAL.

K R Miller
ENS. USNR

12-16. RESTING ON KEEL BLOCKS AS BEFORE.

K R Miller
ENS. USNR

16-20 RESTING ON KEEL BLOCKS AS BEFORE.

K R Miller
ENS USNR.

20-24 RESTING ON KEELBLOCKS AS BEFORE.

K R Miller
ENS. USNR.

APPROVED: D. Hawkins U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE SUNDAY (Day) 27 (Date) AUGUST (Month), 19 61

AT/~~PASSAGE FROM~~ CHARLESTON, SOUTH CAROLINA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	090	5	8	BKN	3000	80	77	8	1600	Cu/As	0	0	0
02	080	5	4	BKN	2999	80	77	8	1600	Cu/As	0	0	0
03	080	5	8	BKN	2998	80	77	7	1600	Cu/As	0	0	0
04	080	4	8	BKN	2999	80	77	8	1600	Cu/As	0	0	0
05	080	3	8	BKN	3000	79	77	8	1600	Cu/As	0	0	0
06	080	3	6	BKN	3001	79	77	8	1600	Cu/As	0	0	0
07	080	3	6	BKN	3000	78	77	9	1600	Cu/As	0	0	0
08	0	0	6	R	3002	78	76	10	1000	NS/ST	0	0	0
09	080	4	8	R	3002	78	76	10	1000	NS/ST	0	0	0
10	080	4	8	OVC	3004	81	78	8	1600	NS/ST	0	0	0
11	0	0	10	OVC	3006	81	78	8	1600	NS/ST	0	0	0
12	070	4	10	K	3008	80	77	10	1000	NS/ST	0	0	0
13	070	2	10	R	3006	79	76	10	1000	NS/ST	0	0	0
14	070	2	10	OVC	3005	81	77	8	1600	NS/ST	0	0	0
15	070	4	10	OVC	3004	81	77	8	1600	Cu/ST	0	0	0
16	080	4	10	BKN	3006	84	79	8	1600	NS/ST	0	0	0
17	080	4	10	BKN	3006	82	78	7	1600	Cu/ST	0	0	0
18	080	4	10	BKN	3005	81	77	7	1600	Cu/ST	0	0	0
19	080	4	10	BKN	3005	80	76	7	1600	Cu	0	0	0
20	080	4	10	BKN	3006	78	75	8	1600	Cu	0	0	0
21	080	4	10	BKN	3006	77	74	7	1600	Cu	0	0	0
22	070	2	10	BKN	3010	77	75	7	1600	Cu	0	0	0
23	070	3	10	BKN	3010	77	75	8	1600	Cu	0	0	0
24	070	3	10	BKN	3010	77	75	8	1600	Cu	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04. RESTING ON KEEL BLOCKS IN DRYDOCK OF CHARLESTON DRYDOCK AND SHIP BUILDING COMPANY, CHARLESTON, SOUTH CAROLINA, RECEIVING MISCELLANEOUS SERVICES FROM THE DOCK. SOPA IS COMINLANT AT U.S. NAVAL BASE, CHARLESTON, SOUTH CAROLINA. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT.

R R Miller
ENS. USNR

04-08. RESTING ON KEEL BLOCKS AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

R R Miller
ENS. USNR.

APPROVED: D A Hawkins U.S.N. COMMANDING

EXAMINED: LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SUNDAY (Day) 27 (Date) AUGUST (Month), 19 61

08-12 RESTING ON KEEL BLOCKS AS BEFORE. 1115 MADE DAILY INSPECTION OF MAGAZINES; CONDITIONS NORMAL.

R R Miller
ENS. USNR

12-16. RESTING ON KEEL BLOCKS AS BEFORE.

R R Miller
ENS. USNR

16-20 RESTING ON KEEL BLOCKS AS BEFORE

R R Miller
ENS. USNR

20-24. RESTING ON KEEL BLOCKS AS BEFORE

R R Miller
ENS. USNR

APPROVED: D. Hawkins U.S.N. COMMANDING

EXAMINED: W. [illegible], LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE MONDAY (Day) 28 (Date) AUGUST (Month), 19 61

AT/~~PASSAGE~~ FROM CHARLESTON, SOUTH CAROLINA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	080	3	9	SCT	3009	77	75	4	1600	Cu	0	0	0
02	080	2	9	SCT	3010	77	75	6	1600	Cu	0	0	0
03	120	2	9	SCT	3010	77	75	5	1600	Cu	0	0	0
04	130	3	10	SCT	3011	78	76	5	1600	Cu	0	0	0
05	160	3	10	SCT	3012	77	75	3	1600	Cu/sc	0	0	0
06	160	3	10	SCT	3011	77	75	3	1600	Cu	0	0	0
07	160	3	10	SCT	3011	77	75	4	1600	Cu	0	0	0
08	160	1	10	SCT	3011	80	77	3	1600	Cu	0	0	0
09	155	2	10	SCT	3011	88	82	5	1600	Cu	0	0	0
10	155	2	10	SCT	3011	88	82	5	1600	Cu	0	0	0
11	150	1	10	SCT	3009	85	81	4	1600	Cu	0	0	0
12	160	3	10	SCT	3009	85	80	3	1600	Cu	0	0	0
13	160	4	10	SCT	3009	90	82	3	1600	Cu	0	0	0
14	160	6	10	SCT	3008	89	81	3	1600	Cu	0	0	0
15	170	6	10	SCT	3010	88	80	3	1600	Cu	0	0	0
16	170	3	10	SCT	3012	85	80	4	1600	Cu	0	0	0
17	180	5	10	SCT	3012	85	80	4	1600	Cu	0	0	0
18	180	6	10	SCT	3012	83	79	5	1600	Cu	0	0	0
19	170	6	10	SCT	3012	82	79	6	1600	Cu/sc	0	0	0
20	155	7	10	SCT	3012	81	79	6	1600	Cu/sc	0	0	0
21	150	5	10	SCT	3013	80	78	5	1600	Cu/sc	0	0	0
22	150	2	10	SCT	3012	80	78	5	1600	Cu	0	0	0
23	140	2	10	SCT	3011	78	76	4	1600	Cu	0	0	0
24	135	2	10	SCT	3010	78	77	3	1600	Cu.	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04. RESTING ON KEEL BLOCKS IN DRYDOCK OF CHARLESTON DRYDOCK AND SHIPBUILDING COMPANY, CHARLESTON, SOUTH CAROLINA, RECEIVING MISCELLANEOUS SERVICES FROM THE DOCK. SOPA IS COMINLANT AT U.S. NAVAL BASE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT.

R B Miller
ENS. USNR

04-08. RESTING ON KEEL BLOCKS AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

R B Miller
ENS. USNR

APPROVED: S Hawkins U.S.N. COMMANDING

EXAMINED: [illegible], LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) MONDAY (Day) 28 (Date) AUGOST (Month), 19 61

0800-1200 RESTING ON KEEL BLOCKS AS BEFORE. 0915 MADE DAILY INSPECTION OF MAGAZINES, CONDITION NORMAL.

W H Arnold ENS USNR

1200-1600 RESTING ON KEEL BLOCKS AS BEFORE.

W H Arnold ENS USNR

1600-2000 RESTING ON KEEL BLOCKS AS BEFORE.

W H Arnold ENS USNR

2000-2400 RESTING ON KEEL BLOCKS AS BEFORE

W H Arnold ENS USNR.

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

S-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE TUESDAY (Day) 29 (Date) AUG (Month), 19 61

AT/PASSAGE FROM CHARLESTON S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	076	3	BKN	9	3010	77	75	7	1600	Cu/AS			
02	070	3	BKN	9	3010	77	75	7	1600	Cu/AS			
03	070	3	BKN	9	3009	77	75	7	1600	Cu/AS			
04	076	3	BKN	10	3009	77	75	8	1600	Cu/AS			
05	070	3	BKN	10	3008	77	75	9	1600	Cu/AS			
06	070	3	BKN	10	3010	77	75	8	1600	Cu/AS			
07	070	5	BKN	10	3010	77	75	7	1000	NS/ST			
08	0	0	SCT	10	3013	80	77	6	1600	Cu/AS			
09	0	0	SCT	10	3015	85	80	6	1600	NS			
10	050	4	SCT	10	3015	88	82	6	1000	NS			
11	0	0	BKN	10	3015	85	80	7	1000	NS			
12	150	2	R	10	3015	85	80	8	1000	NS/ST			
13	0	0	SCT	10	3015	88	82	6	1000	NS			
14	180	3	BKN	10	3012	91	89	8	1600	NS			
15	150	2	BKN	10	3010	88	80	7	1600	Cu/NS			
16	150	2	BKN	11	3010	85	80	7	1600	Cu/NS			
17	150	3	BKN	10	3010	85	80	8	1600	Cu/AS			
18	150	4	BKN	10	3009	85	80	8	1600	Cu/AS			
19	150	6	BKN	10	3009	83	79	7	1600	Cu			
20	150	6	SCT	10	3010	82	79	6	1600	Cu			
21	151	5	SCT	8	3010	81	79	5	1600	Cu			
22	154	4	SCT	7	3010	80	78	5	1600	Cu			
23	135	4	SCT	7	3011	80	78	5	1600	Cu			
24	135	4	SCT	8	3011	78	76	5	1600	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

0000-0400 RESTING ON KEEL BLOCKS IN DRYDOCK OF CHARLESTON DRYDOCK AND SHIPBUILDING CO., CHARLESTON, S.C. RECEIVING MISCELLANEOUS SERVICES FROM THE DOCK. 50PA IS COMMUNANT AT US NAVAL BASE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT.

W.H. Friedl ENS USNR

0400-0800 RESTING ON KEEL BLOCKS AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS, ABSENTEES, NONE.

W.H. Friedl ENS USNR

APPROVED: D. Hawkins U.S.N. COMMANDING

EXAMINED: W.D. Smith, LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) TUESDAY (Day) 29 (Date) AUGUST (Month), 19 61

0800-1200. RESTING ON KEEL BLOCKS AS BEFORE. 0905 MADE DAILY INSPECTION OF MAGAZINES; CONDITIONS NORMAL. 0910 COMMENCED PREPARATIONS FOR GETTING UNDERWAY. STATIONED THE SPECIAL SEA DETAIL. INSPECTION COMPLETED OF ALL HULL OPENINGS. ALL SERVICES DISCONNECTED FROM SHIP. CAPTAIN AND NAVIGATOR ON THE BRIDGE. 0914. FLOODING COMMENCED IN DRY DOCK. 0925 HANDLING LINES SECURE ON SHIP ~~0927~~. 1010 SHIP CLEAR OF KEEL BLOCKS. 1020 INSPECTION COMPLETED OF ALL SPACES FOR WATERTIGHT INTEGRITY. 1020 COMMENCED MOVING SHIP CLEAR OF DOCK. 1029 BOW PASSED OVER SILL. 1110 COMMERCIAL TUG ADMIRAL DEWEY ALONGSIDE PORT BOW. 1112. PILOT A. DENNING CAME ON BOARD. COMMERCIAL TUG MARS ALONGSIDE TO STARBOARD BOW. 1116 STERN PASSED OVER SILL. 1126. MOORED STARBOARD TO PIER AT CHARLESTON DRY DOCK AND SHIPBUILDING COMPANY. COMMERCIAL TUGS MARS AND ADMIRAL DEWEY CLEAR OF SHIP. PILOT DISEMBARKED. 1135 SECURED SEA DETAIL. SET REGULAR INPORT WATCH. COMMENCED RECEIVING MISCELLANEOUS SERVICES FROM THE PIER.

R R Miller
ENS. USNR

1200-1600. MOORED AS BEFORE.

R R Miller
ENS. USNR

1600-2000 MOORED AS BEFORE.

R R Miller
ENS. USNR

2000-2400. MOORED AS BEFORE.

R R Miller
ENS. USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE WEDNESDAY (Day) 30 (Date) AUG (Month), 19 61

AT/~~PASSAGE~~ FROM CHARLESTON, SOUTH CAROLINA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	100	4	8	SCT	3010	80	77	5	1600	Cu/Ac	0	0	0
02	110	6	8	SCT	3010	80	78	6	1600	Cu/Ac	0	0	0
03	100	4	7	SCT	3010	78	76	7	4500	AC	0	0	0
04	100	4	8	SCT	3011	78	76	7	4500	AC	0	0	0
05	100	H	7	SCT	3011	78	76	7	4500	AC	0	0	0
06	100	H	7	SCT	3012	79	78	7	4500	AC	0	0	0
07	100	4	9	SCT	3012	79	78	7	4500	AC	0	0	0
08	100	H	10	SCT	3014	80	78	7	4500	AC	0	0	0
09	0	0	10	BKN	3014	85	83	6	1600	Cu	0	0	0
10	090	3	10	BKN	3017	90	85	7	1600	Cu	0	0	0
11	090	3	10	BKN	3018	93	89	8	1600	Cu	0	0	0
12	085	3	10	BKN	3019	95	82	7	4500	Ac	0	0	0
13	085	2	10	SCT	3015	94	84	6	4500	Ac	0	0	0
14	085	2	10	SCT	3014	93	84	5	1600	Cu	0	0	0
15	085	H	10	SCT	3013	100	85	6	1600	Cu	0	0	0
16	085	4	10	OVC	3013	91	83	9	1600	Cu	0	0	0
17	085	H	10	OVC	3010	86	80	10	1600	Cu	0	0	0
18	085	4	10	OVC	3012	85	80	10	1600	Cu/Ns	0	0	0
19	170	2	10	OVC	3013	82	80	10	1600	St/Ns	0	0	0
20	0	0	10	OVC	3012	80	80	10	1600	St/Ns	0	0	0
21	0	0	9	OVC	3012	82	80	10	1000	St/Ns	0	0	0
22	0	0	8	OVC	3012	82	80	10	1000	St/Ns	0	0	0
23	0	0	9	OVC	3013	80	79	10	1600	Cu/Ns	0	0	0
24	0	0	7	OVC	3013	80	79	10	1600	Cu/Ns	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04. MOORED STARBOARD SIDE TO PIER AT CHARLESTON DRYDOCK AND SHIPBUILDING COMPANY USING STANDARD MOORING LINES DOUBLED. SOPA IS COMINLANT AT U.S. NAVAL BASE, CHARLESTON, SOUTH CAROLINA. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YORE SET.

B R Miller
ENS. USNR

04-08. MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

B R Miller
ENS. USNR

APPROVED: W. Hawkins U.S.N. COMMANDING

EXAMINED: W. B. Higgins LT. U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) WEDNESDAY (Day) 30 (Date) AUGUST (Month), 19 61

08-12 MOORED AS BEFORE. 0510 MADE DAILY INSPECTION OF MAGAZINES, CONDITION NORMAL.

W H Dodd ENS USNR.

12-16 MOORED AS BEFORE.

W H Dodd ENS USNR

16-20 MOORED AS BEFORE.

W H Dodd ENS USNR.

20-24 MOORED AS BEFORE.

W H Dodd ENS USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature], JR, U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

S-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE THURS (Day) 31 (Date) AUG (Month), 19 61

AT/~~PASSAGE~~ FROM CHARLESTON, SOUTH CAROLINA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	0	0	8	OVC	3014	80	79	9	1600	Cu/NS	0	0	0
02	0	0	8	OVC	3014	81	79	9	1600	Cu/NS	0	0	0
03	0	0	8	BKN	3014	81	79	7	1600	Cu/NS	0	0	0
04	0	0	8	BKN	3014	80	79	7	1600	Cu/NS	0	0	0
05	0	0	8	BKN	3015	80	78	8	2000	Cu/NS	0	0	0
06	0	0	8	BKN	3013	80	79	7	2000	Cu/NS	0	0	0
07	0	0	8	BKN	3013	80	79	7	2000	Ci/NS	0	0	0
08	0	0	10	BKN	3013	83	79	7	2000	Ci/NS	0	0	0
09	0	0	10	BKN	3013	83	79	8	2000	Ci/NS	0	0	0
10	0	0	10	BKN	3016	91	80	8	2000	Ci/Ac	0	0	0
11	0	0	10	BKN	3016	94	82	8	2000	Ci/Ac	0	0	0
12	0	0	10	BKN	3016	95	81	8	1600	Cu/Ci	0	0	0
13	0	0	10	BKN	3017	90	81	8	1600	Cu/NS	0	0	0
14	0	0	10	BKN	3017	90	82	7	1600	Cu/NS	0	0	0
15	0	0	10	OVC	3017	87	80	10	1600	Cu/NS	0	0	0
16	0	0	10	OVC	3016	88	80	10	1600	Cu/NS	0	0	0
17	140	2	10	OVC	3013	88	80	10	1600	NS	0	0	0
18	155	1	10	OVC	3013	85	79	10	1600	NS	0	0	0
19	156	3	10	OVC	3014	83	79	10	1600	NS	0	0	0
20	150	1	10	SCT	3014	81	74	7	1600	NS	0	0	0
21	0	0	10	SCT	3016	81	74	6	1600	NS	0	0	0
22	0	0	10	SCT	3016	81	73	6	1600	NS	0	0	0
23	0	0	10	SCT	3016	81	23	5	1600	NS	0	0	0
24	0	0	10	SCT	3016	80	75	2	20000	Ci	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER AT CHARLESTON DRYDOCK AND SHIPBUILDING CO. USING STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. SOPA IS COMINLANT AT U.S. NAVAL BASE, CHARLESTON S.C. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET.

W.H. Duell ENS USNR.

04-08 MOORED AS BEFORE. 0756 MUSTERED THE CREW AT QUARTERS, ABSENTEES: NONE.

W.H. Duell ENS USNR.

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) THURSDAY (Day) 31 (Date) AUGUST (Month), 19 61

0800-1200. MOORED AS BEFORE. 0810 MADE DAILY INSPECTION OF MAGAZINES; CONDITIONS NORMAL.

R R Miller
ENS. USNR

1200-1600. MOORED AS BEFORE.

R R Miller
ENS. USNR

1600-2000. MOORED AS BEFORE.

R R Miller
ENS. USNR

2000-2400 MOORED AS BEFORE.

R R Miller
ENS. USNR.

APPROVED: EXAMINED:

[signature] U.S.N. COMMANDING [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

S-63075

6